



**UNSTOPPABLE
POWER**

THE WORLD'S FIRST

HYBRID

ZERO TURN RIDE ON MOWER



**X6 60V 107CM (42") HYBRID
ZERO TURN RIDE ON MOWER**

**Smart Hybrid Power,
All-Terrain Solution**

X6 **60V** **LITHIUM-ION**

BRUSHLESS™

CUTTING UP TO

7.5 **ACRES**


≈ ABOUT TWO CRICKET OVALS
WHEN USING 4 X 12AH
BATTERIES IN COMBINATION
WITH PETROL

SAVING AT LEAST

\$5

AUD/ACR

Compared with
full petrol operation



RANGESYNC

RANGESYNC functionality allows users to seamlessly switch between Electric Mode, Hybrid Mode, and Petrol Mode at the press of a button. Experience smooth mode transition never before seen on a Zero-Turn Mower.


HYBRIDTORQUE



Our innovative HYBRIDTORQUE 4.2kW inverter-driven system seamlessly blends the power and endurance of petrol with the quiet efficiency of battery.

This delivers an advanced hybrid experience that maximises both performance and runtime.

ACTIVE COOLING



A high-efficiency battery cooling system that optimises heat dissipation through dual-side fan coordination, preventing overheating and enhancing machine safety and reliability.



UP TO 3000 RPM
BLADE SPEED



25° CUTTING SLOPE
MOW EVERYWHERE



5-INCH LCD SCREEN
CONTROL YOUR RIDE

15° WARNING MESSAGE
>25° AUTOMATIC BLADE STOP

COMFORTABLE SEAT

AUTOMATIC RETURN TO NEUTRAL POSITION

CUP HOLDER

SMOOTH ZERO-RADIUS STEERING CONTROL

STRONG TYRE TRACTION

360° FULL COVERAGE LIGHTING

FOOT & SCALE DIAL HEIGHT ADJUSTMENT

ANTI-SLIP DESIGN



THE BEST OF BOTH WORLDS

With a fully charged battery, the vehicle becomes **pure electric**. When SOC (State Of Charge) is low, it transforms into an ultra-low fuel consumption **hybrid** vehicle.



- ✓ Prioritises electric power with minimal reliance on fuel.
- ✓ Kinder to the environment.
- ✓ Offers greater energy efficiencies and lower fuel consumption.
- ✓ Creates a quiet and comfortable ride.
- ✓ Supplies high-power performance and responsiveness.

X6 60V 107CM (42") HYBRID ZERO TURN RIDE ON MOWER

BRUSHLESS™

SKU		ZTRX6-H-EU			
Deck Size		42inch / 107cm	Motor Quantity		4
Rated Voltage		60V	Driving Models		ECO/TURBO
Petrol Generator		Yes	LCD Display (5inch)		Yes
Cutting Motor Rated Power		2x1.2KW	LED Lights		360°
Turning Radius		0°	USB Port Type		Type-A & Type-C (5V)
Blade Speed (rpm)		2400-3000	Cup-holder		Yes
Battery Capacity (optional)		3Ah/4Ah/6Ah/8Ah/12Ah	Phone-holder		Yes
Max. Battery Quantity (included)		4pcs	Charger Industry's fastest charger	Rated Power	1600W
Blade Quantity		2		Input	220-240V a.c,50Hz
Slope		15°		Output	60V 24A
Driving Speed	position 1	ECO:2km/hr TURBO:3.2km/hr		Charging time	135min
	position 2	ECO:4km/hr TURBO:6.4km/hr	3-in-1 Function		mulching, bagging, side-discharge
	position 3	ECO:6km/hr TURBO:9.6km/hr	IPX Class		IPX4
	position 4	ECO:8km/hr TURBO:12.8km/hr	Gross Weight		416kg
Cutting-height adjustment		25-115mm (15 positions)	Net Weight (Kg)		282kg
Height Adjust Mode		Manual	Dimensions (mm)		1930 x 1155 x 1100
Cutting Capacity (in Hybrid mode) when using 4 x 12Ah batteries in combination with petrol		Up to 7.5 Acres (30,351m²)	Packaging Size (mm)		2150 x 1280 x 855
Cutting Efficiency			Packing Type		Wooden Box
Motor Type		Brushless	Warranty		3 Years or 500 hours (whichever comes first)

SENIX X6 BATTERIES AND CHARGERS

Easy to read fuel gauge quickly shows the user how much power is left during product use and while charging.

Intelligent power management optimises individual battery cells for maximum power, performance, and runtime.

Integrated heat dissipation protects battery from overheating so equipment runs longer at full power.

Shock-resistant design protects batteries from drops.

Compatible with all SENIX X6 equipment and chargers.



BATTERY					
PRODUCT CODE	B30X6	B40X6	B60X6	B80X6	B120X6
Rated Voltage	60V	60V	60V	60V	60V
Battery Type	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion	Lithium-ion
Rated Capacity	3Ah/ 168 Wh	4.0Ah/224Wh	6.0Ah/336Wh	8.0Ah/448Wh	12.0Ah/672Wh
Machine Weight	1.8kg	2.4kg	3kg	3kg	4.1kg



CHARGER			
PRODUCT CODE	CHQX6-EU	CHQX6-M-EU	CHDX6-M-EU
Rated Input Voltage	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Rated Input Power	360W	360W	620W
Rated Output	60V/5A	63V/8A	63V/8A
Machine Weight	1.2kg	1.8kg	2.2kg



DIRECT CHARGER FOR ZTR	
PRODUCT CODE	CHQE16-H1-EU
Charger Input	100-240 V a.c, 50 Hz 1600W
Charger Output	60V
Quick-Charge time	200Min (6 x 12Ah)
Charger Weight (Net)	4.92kg
Operating Temperature	-5°C--45°C
Storing Temperature	-20°C--55°C

SENIX X6 60V PURE-POWER ZERO TURN RIDE ON MOWERS

POWER UP AND GO GREEN!



X6 60V 107CM (42") PURE-POWER ZERO TURN RIDE ON MOWER

BRUSHLESS™

PRODUCT CODE		ZTRX6-M-EU
Deck Size		107cm (42")
Rated Voltage		60V
Petrol Generator		No
Cutting Motor Rated Power		2x1.2KW
Turning Radius		0°
Blade Speed (RPM)		2400-3000
Battery Capacity (optional)		3Ah/4Ah/6Ah/8Ah/12Ah
Max. Battery Quantity (included)		6
Blade Quantity		2
Slope		15°
Driving Speed	position 1	ECO:2km/hr TURBO:3.2km/hr
	position 2	ECO:4km/hr TURBO:6.4km/hr
	position 3	ECO:6km/hr TURBO:9.6km/hr
	position 4	ECO:8km/hr TURBO:12.8km/hr
Cutting-height adjustment		25-115mm (15 positions)
Cutting Capacity		Up to 2.5 Acres (10,117m2) (4 x 12Ah)



X6 60V 137CM (54") PURE-POWER ZERO TURN RIDE ON MOWER

BRUSHLESS™

PRODUCT CODE		ZTRX6-M1-EU
Deck Size		137cm (54")
Rated Voltage		60V
Petrol Generator		No
Cutting Motor Rated Power		3x1.2KW
Turning Radius		0°
Blade Speed (RPM)		2400-3000
Battery Capacity (optional)		3Ah/4Ah/6Ah/8Ah/12Ah
Max. Battery Quantity (included)		6
Blade Quantity		3
Slope		15°
Driving Speed	position 1	ECO:2km/hr TURBO:3.2km/hr
	position 2	ECO:4km/hr TURBO:6.4km/hr
	position 3	ECO:6km/hr TURBO:9.6km/hr
	position 4	ECO:8km/hr TURBO:12.8km/hr
Cutting-height adjustment		25-115mm (15 positions)
Cutting Capacity		Up to 4 Acres (16,187m2) (6 x 12Ah)



X6 60V BRUSHLESS 53CM (21") PUSH LAWN MOWER KIT

PRODUCT CODE	LPPX6-H-EU
Voltage	60V
Motor Type	1200W Brushless
No Load Speed	2600RPM/2800RPM/3000RPM
Mowing Function	3-in-1 (Mulching, Bagging and Side Discharge)
Cutting Capacity	53cm (21")
Height Adjustment	38-100mm/7 positions
Wheel Size (F/R)	20/25cm
Collection Bag	60L
Weight (Tool Only)	25kg
Includes	B80X6 X6 60V Battery, 8.0Ah CHQX6-M-EU X6 60V Charger, 8.0Ah



X6 60V BRUSHLESS 53CM (21") SELF-PROPELLED LAWN MOWER KIT

PRODUCT CODE	LPSX6-H-EU
Voltage	60V
Motor Type	1200W Brushless
No Load Speed	2600RPM/2800RPM/3000RPM
Mowing Function	3-in-1 (Mulching, Bagging and Side Discharge)
Drive Type	Variable Speed RWD Self-propelled
Cutting Capacity	53cm (21")
Height Adjustment	38-100mm/7 positions
Wheel Size (F/R)	20/25 cm
Collection Bag	60L
Weight (Tool Only)	27.2kg
Includes	B80X6 X6 60V Battery, 8.0Ah CHQX6-M-EU X6 60V Charger, 8.0Ah



X6 60V BRUSHLESS 1,380M3/HR BLOWER SKIN

PRODUCT CODE	BLAX6-M1-EU-0
Maximum Voltage	60V
Rated Output Power	1300W
Motor Type	Brushless
No Load Speed	0-25000RPM
Maximum Air Speed	270km/hr
Maximum Air Volume	1380m3/hr
Machine Weight (Tool Only)	2.5kg
Kit Version	BLAX6-M1-EU X6 60V Brushless 1,380m3/hr Blower Kit



X6 60V BRUSHLESS 1,614M3/HR BACKPACK BLOWER SKIN

PRODUCT CODE	BLBX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	2400W
Motor Type	Brushless
No Load Speed	0-22000RPM
Maximum Air Speed	225km/hr
Maximum Air Volume	1614m3/hr
Machine Weight (Tool only)	7.2Kg



X6 60V BRUSHLESS 40CM (16") LINE TRIMMER SKIN

PRODUCT CODE	GTX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	600W
Motor Type	Brushless
No Load Speed	ECO: 5000RPM MAX: 6000RPM
Line Type	2.4mmX2
Line Length	4m
Cutting Capacity	40cm
Machine Weight (Tool only)	3.4kg
Kit Version	GTX6-M-EU X6 60V Brushless 40cm (16") Line Trimmer



X6 60V BRUSHLESS 69CM (26") HEDGE TRIMMER SKIN

PRODUCT CODE	HTX6-M1-EU-0
Maximum Voltage	60V
Rated Output Power	350W
Motor Type	Brushless
No Load Speed	ECO: 2800SPM Max: 3400SPM
Blade Length	686mm
Cutting Length	660mm
Maximum Cutting Capacity	33.5mm (max.)
Machine Weight (Tool only)	3.86kg
Kit Version	HTX6-M1-EU X6 60V Brushless 69cm (26") Hedge Trimmer Kit



X6 60V BRUSHLESS 25CM (10") POLE SAW SKIN

PRODUCT CODE	CSPX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	1000W
Motor Type	Brushless
No Load Speed	ECO: 11000RPM Max: 13500RPM
Chain Speed	ECO: 16m/s Max: 20m/s
Chain & Bar Length	25cm (10")
Machine Weight (Tool only)	3.5kg
Kit Version	CSPX6-M-EU X6 60V Brushless 25cm (10") Pole Saw Kit



X6 60V BRUSHLESS 40CM (16") REAR HANDLE CHAINSAW SKIN

PRODUCT CODE	CSX6-M-EU-0
Maximum Voltage	60V
Rated Output Power	1800W
Motor Type	Brushless
No Load Speed	ECO: 11000RPM Max: 13500RPM
Chain Speed	ECO: 20m/s Max: 26m/s
Chain & Bar Length	40cm (16")
Machine Weight (Tool Only)	3.7kg
Kit Version	CSX6-M-EU X6 60V Brushless 40cm (16") Rear Handle Chainsaw Kit



THE WORLD'S FIRST

HYBRID

ZERO TURN RIDE ON MOWER

 **60V**  **BRUSHLESS**™
LITHIUM-ION

**X6 60V 107CM (42") HYBRID
ZERO TURN RIDE ON MOWER**





UNSTOPPABLE POWER



FACEBOOK
Senix Australia



INSTAGRAM
Senix Australia



YOUTUBE
SENIX Global



E-MAIL
@senixtool.com.au

www.senix.com.au