


Hustler® Parts Manual



200 South Ridge Road

Hesston, Kansas

67062



NOTICE OF REQUIREMENT OF SPARK ARRESTER MUFFLER

This equipment may create sparks that can start fires around dry vegetation. California Public Resources Code Section 4442.6 provides that it is unlawful to use or operate an internal combustion engine on any forest-covered, brush-covered, or grass-covered land unless the engine is equipped with a spark arrester maintained in effective working order. A spark arrester is a device constructed of nonflammable materials specifically for the purpose of removing and retaining carbon and other flammable particles over 0.0232 of an inch in size from the exhaust flow of an internal combustion engine that uses hydrocarbon fuels or which is qualified and rated by the United States Forest Service. Other states or federal areas may have similar laws. The Operator Should Contact Local Fire Agencies For Laws or Regulations Relating to Fire Prevention Requirements. THIS EQUIPMENT DOES NOT HAVE A SPARK ARRESTER AND YOU SHOULD CONTACT YOUR AUTHORIZED DEALER FOR THE PURCHASE OF A SPARK ARRESTER.

Inspect spark arrester daily; replace every 500 hours or as needed.

The Engine Owner's Manual provides information regarding the U.S. Environmental Protection Agency (EPA) and the California Emission Control Regulation of emission systems, maintenance and warranty.

Keep Engine Owner's Manual with your unit. Should the Engine Owner's Manual become damaged or illegible, replace immediately. Replacements may be ordered per the information found in the Product Information section of the owner's manual.

Federal law and California State law prohibit the following acts or the causing thereof:

- 1. The removal or rendering inoperative by any person other than for purposes of maintenance, repair, replacement, of any device or element of design incorporated into any equipment for the purposes of emissions control prior to or after its sales or delivery to the ultimate purchaser or while it is in use, or**
- 2. The use of the equipment after such device or element of design has been removed or rendered inoperative by any person.**

General Information Page	1
Frame, Instrument Panel, Wire Harness & Engine Guard	
Frame	2-1
Fenders, Floor Pan, Footrest & Engine Guard (Multi-Page)	2-2
Instrument Panel & Wire Harness - S/N 20125064 & HIGHER	2-3
Instrument Panel & Wire Harness - S/N PRIOR TO 20125064	2-4
Battery	2-5
Transmissions, Drive Belt, Clutch, Steering & Brake	
Transmissions	3-1
SERVICE PARTS - 607746 Transmission	3-2
SERVICE PARTS - 607747 Transmission	3-3
Drive Belt & Clutch	3-4
Steering & Brake	3-5
Steering Assembly (Multi-Page)	3-6
Wheels & Tires	
Wheels & Tires	4-1
Front Wheel Assembly	4-2
Drive Wheel Breakdown	4-3
Engine & Fuel System	
Engine & Muffler (Multi-Page)	5-1
SERVICE PARTS - FR691V Engine	5-2
Fuel System	5-3
SERVICE PARTS - 607745 Fuel Tank	5-4
Deck, Deck Belt, Blades & Deck Lift	
Service Deck	6-1
Deck Pulley & Spindles	6-2
SERVICE PARTS - 607418 Spindle	6-3
Deck Belt, Pulley Covers, & Blades	6-4
Debris Shield	6-5
Deck Lift & Mounting Hardware (Multi-Page)	6-6
Seat	
Seat	7-1
SERVICE PARTS - 608028 Seat	7-2

General Information

Note: When ordering parts, you must use the part number as shown for each part, not the index number. Always give the model and serial number to your parts and service representative.

Note: Items sold in bulk such as seals and hoses are sold by the foot.

Using This Manual

This manual is part of a service package for the Hustler® mowers. Use of this manual in conjunction with other Hustler® mower and component manuals will provide the information necessary to service and maintain Hustler® mowers.

This Parts Manual provides a complete parts listing for the unit. Use this manual when ordering parts. Illustrations used were current at the time of printing, but subsequent production changes may cause your machine to vary slightly in detail. Excel Industries, Inc. reserves the right to redesign and change the machine as deemed necessary, without notification. If a change has been made to your machine which is not reflected in this parts manual, see your authorized dealer for current information and parts.

The Service Manual is a service guide for use by Service Technicians. It provides the necessary information needed to perform normal maintenance requirements on these units.

The Operator's Manual provides fundamental operational information and operational safety that is needed when operating the mower.

The component manuals are furnished by the various manufacturers to be used for the troubleshooting and servicing of their products.

Hardware Description Codes & Abbreviations

The following codes are used throughout this parts manual. Refer to this list when ordering parts.


ABBREVIATION	DESCRIPTION	ABBREVIATION	DESCRIPTION
CB	CARRIAGE BOLT	MB	MACHINE BUSHING
CE	CLEVIS PIN	MS	MACHINE SCREW
CN	CLIP NUT	NT	NUT
CP	COTTER PIN	SC	SELF TAPPING CAP SCREW
CS	CAP SCREW	SH	SOCKET HEAD
CW	CUP WASHER	SB	SHOULDER BOLT
FDRW	FENDER WASHER	SS	SET SCREW
FW	FLAT WASHER	OD	OUTSIDE DIAMETER
HX	HEX HEAD	ID	INSIDE DIAMETER
LW	LOCK WASHER	WN	WELD NUT

Standard Torques

The following chart lists the standard torque values for the threaded fasteners found in this manual. Torque all cap screws, nuts and set screws to these values unless a different torque is shown in the Notes section next to the fastener.

SIZE	FT-LBS	N•M	SIZE	FT-LBS	N•M
.250	8.2	11.1	M3	1	1.3
.312	17	23	M4	2.2	3
.375	30	40	M5	4.5	6.1
.438	48	65	M6	7.7	10.4
.500	73	99	M8	18.5	25
.562	105	143	M10	37	50
.625	145	200	M12	64	87
.750	260	350	M14	80	108.5
.875	420	565	M16	160	215
1.00	625	850	M20	320	435
			M24	555	750


This page intentionally left blank




Item	Part No.	Qty	Name
1	555824	1	SVC FRAME CE
2	601982	12	CN .250-20X .150 MAX THK
3	N/A	2	SERIAL NUMBER / SPEC DECAL
4	776310	1	DECAL, CE MARK
5	794834CE	1	CE 100 DBA LIMIT DECAL
6	608127	1	DECAL, USA, F&D
7	601981	1	DECAL, SAFE OPERATE-GRAY
8	601967	1	DECAL, ENGINE COMPART
9	602041	1	DECAL, HOT
10	602407	1	DECAL, HUSTLER ID

Comments for Page: Frame


1. Serial number decal. In the event the serial number decal becomes damaged or illegible, please contact your dealer to order a replacement.
2. EPA compliance decal.
3. The frame includes the decals and hardware.



This page intentionally left blank



This page intentionally left blank



Fenders, Floor Pan, Footrest & Engine Guard
(Multi-Page)

48" Raptor XD Parts Manual - 943431CE -
HTRXDR048KAWFR691VC


Item	Part No.	Qty	Name
1	607862	1	FENDER RIGHT
2	605473	14	CS .250-20X0.75 BH TX BZ
3	605628	12	FW 0.281X.63X.07 ZB
4	601982	4	CN .250-20X .150 MAX THK
5	126379-6	2	STEERING PLATE
6	785220	1	DECAL, STEERING R.S.
7	058776	2	NT .312-18NLG5
8	607861	1	FENDER LEFT
9	785139	1	DECAL, STEERING L.S.
10	605782	1	DECAL, LEVEL FUEL BLOWM
11	126381-6	1	FOOTREST OUTER
12	608095	1	DECAL, HUSTLER
13	055939	2	CS .250-20X0.75 HX G5 ZN
14	768515	3	FW 0.281SAE
15	126380-1	1	FOOTREST
16	126382-1	1	FLOOR PAN
17	607868	6	PUSH IN RIVET
18	607864	1	FLOOR MAT
19	056077	1	CS .250-20X1.000HXG5
20	607863	1	KICK PANEL
21	608093	1	DECAL, RAPTOR XD
22	781880	4	BUMPER, .500x 1.00x .31
23	118900	1	SPACER, DECK LIFT LINK
24	607892	8	CS #10-16 X 0.500 HX FLG
25	794784	2	CB .250-20 X .75 FUL ZN
26	016816	2	NT .250-20FLKG5
27	016832	8	NT .312-18FLKG5
28	607901-6	1	LOWER COVER
29	607903-1	1	ENGINE GUARD RH
30	607902-1	1	ENGINE GUARD LH
31	016253	4	CB .312-18X .750 FUL ZN
32	607906	2	SIDE MOLDING
33	068551	2	NT .250-20 HXZY NL
34	017079	2	FW .250SAE
35	768523	4	FW 0.343SAE

This page intentionally left blank

Item	Part No.	Qty	Name
36	034280	4	CS .312-18X0.750HXG5
37	607905	1	LOGO BADGE

Comments for Page: Fenders, Floor Pan, Footrest & Engine Guard (Multi-Page)


- 1. Part of the Steering Assembly.
- 2. The steering plates, front cover, floor pan and kick panel include the decals.



Item	Part No.	Qty	Name
1	776476	1	SWITCH, PTO 6201-321
2	785808	1	KEY ASSEMBLY
3	769166	1	HOUR METER
4	045898	1	IGNITION SWITCH
5	555705	1	SVC, INSTRUMENT PANEL
6	607973	1	DECAL, INST PANEL
7	608191	1	CABLE, CHOKE
8	606851	2	CS 10-24X .500 PH SH ZN
9	605473	2	CS .250-20X0.75 BH TX BZ
10	605628	2	FW 0.281X.63X.07 ZB
11	608190	1	CABLE, THROTTLE
12	601982	2	CN .250-20X .150 MAX THK
13	607950	1	WIRE HARNESS
14	000331	1	WIRE TIE, SMALL/SHORT

Comments for Page: Instrument Panel & Wire Harness - S/N 20125064 & HIGHER


1. The instrument panel includes the decal.



Item	Part No.	Qty	Name
1	776476	1	SWITCH, PTO 6201-321
2	785808	1	KEY ASSEMBLY
3	769166	1	HOUR METER
4	045898	1	IGNITION SWITCH
5	555705	1	SVC, INSTRUMENT PANEL
6	607973	1	DECAL, INST PANEL
7	601097	1	CABLE, CHOKE
8	601098	2	CB 10-24 X .500 ZYNC
9	605473	2	CS .250-20X0.75 BH TX BZ
10	605628	2	FW 0.281X.63X.07 ZB
11	601096	1	CABLE, THROTTLE
12	704932	2	FW 0.219X.50X.05 ZN
13	059832	2	NT #10-24 HX NL ZN
14	601982	2	CN .250-20X .150 MAX THK
15	607950	1	WIRE HARNESS

Comments for Page: Instrument Panel & Wire Harness - S/N PRIOR TO 20125064

1. The instrument panel includes the decal.




Item	Part No.	Qty	Name
1	126384-1	1	BATTERY HOLD DOWN
2	033035P	1	WEATHERSTRIP .12X.75 - 2FT
3	056077	2	CS .250-20X1.000HXG5
4	768515	2	FW 0.281SAE
5	601319	1	POS. BATTERY CABLE BOOT
6	024927	2	NT .250-20HXG5
7	607723	1	BATTERY, AGM 12V 9AMH
8	055947	2	CS .250-20X0.50 HX G5 ZN
9	126383-1	1	BATTERY BASE

Comments for Page: Battery

1. When performing service on the mower, disconnect the negative battery cable (black) and do not reconnect it to the battery until ready to start the engine.

WEATHERSTRIP LENGTH


A: 2.35"



Item	Part No.	Qty	Name
1	710087	4	CS .312-18X2.500HXG5
2	043067	4	CS .312-18X3.000HXG5
3	768523	16	FW 0.343SAE
4	607746	1	ZT2800, 20.69:1 TRANS
5	607747	1	ZT2800, 20.69:1 TRANS
6	608241	2	CS .375-16X2.250HXG8
7	712919	2	FW 0.406X1.00X.12 HD ZN
8	058776	8	NT .312-18NLG5
9	607944	2	SPRING, BRAKE BIAS
10	607836	1	TORSION ROD, RSD
11	706549	2	HP0.080X1.190
12	607826-1	2	LINK, TOW VALVE


Comments for Page: Transmissions

1. Torque to 23 N•m.
2. Torque to 60 N•m.
3. Left side transmission.
4. Right side transmission.




Item	Part No.	Qty	Name
	607746	1	ZT2800, 20.69:1 TRANS
1	604902	1	HG RTN CCW
2	604903	1	HG RTN SPRING
3	600976	1	HYDRAULIC OIL FILTER
4	601941	1	FAN/PULLEY KIT
5	601433	1	KIT, HUB 4 BOLT
Comments for Part Num. 601433 CUSTOMER SERVICE NOTE: Lug Studs are not sold separately.			
6	600975	1	GUARD, TRANS FILTER
7	604901	1	HG RTN CW
8	601221	1	ZT2800 BRAKE ARM - 2007
9	600972	1	CLIP, RETAINING
10	607199	1	SEAL KIT

RS TRANSMISSION
607747




Item	Part No.	Qty	Name
	607747	1	ZT2800, 20.69:1 TRANS
1	604902	1	HG RTN CCW
2	604903	1	HG RTN SPRING
3	600976	1	HYDRAULIC OIL FILTER
4	601941	1	FAN/PULLEY KIT
5	601433	1	KIT, HUB 4 BOLT
Comments for Part Num. 601433 CUSTOMER SERVICE NOTE: Lug Studs are not sold separately.			
6	600974	1	GUARD, TRANS FILTER
7	604901	1	HG RTN CW
8	601221	1	ZT2800 BRAKE ARM - 2007
9	600972	1	CLIP, RETAINING
10	607199	1	SEAL KIT




Item	Part No.	Qty	Name
1	601887	1	CB .375-16 X 2.75 G5
2	016253	2	CB .312-18X .750 FUL ZN
3	126203-1	1	CLUTCH ANCHOR
4	607761	1	PULLEY, ENG 4.118OP
5	712372	1	KEY 1/4 SQ X 0.66 LG(FS)
6	607827	1	BUSHING, CLUTCH
7	016832	2	NT .312-18FLKG5
8	080655	1	CS .375-16X1.500HXG5
9	607757K	1	KIT, CLUTCH
10	607828	1	FW .468X1.625X.25 DD
11	602680	1	FW .453X1.12X.12 HRD ZN
12	785659	1	CS .437-20X2.50 HXG5ZN
13	076422	2	FW 0.406X1.00X.06 ZN
14	607163	1	PULLEY, 3" FLAT POLY
15	607585	1	SPRING, EXTENSION
16	607837	1	TENSIONER
17	054502	1	NT .375-16HXG5
18	607763	1	SPACER, PIVOT IDLER
19	712893	1	FW 0.406X1.25X.12 HD ZN
20	086660	1	NT .375-16NLG8
21	607830	1	DRIVE BELT

Comments for Page: Drive Belt & Clutch


1. Torque the cap screw to 61–65 N•m.
2. Clutch pigtail a part of the wire harness.



Item	Part No.	Qty	Name
1		1	REFER TO "STEERING COVER ASSEMBLY"
2	058776	4	NT .312-18NLG5
3	768523	7	FW 0.343SAE
4	016253	4	CB .312-18X .750 FUL ZN
5	606575	2	CLIP, SAFETY
6	064014	3	CS .312-18X0.875HXG5
7	029710	2	CS .312-18X .750 HXFLK
8	126365-1	1	MOUNTING BRKT BRAKE CABL
9	016832	2	NT .312-18FLKG5



This page intentionally left blank




Item	Part No.	Qty	Name
1	126362-1	1	BRAKE CRANK RIGHT
2	058776	12	NT .312-18NLG5
3	604179	2	BRAKE LINK
4	607078	4	STEERING BUSHING
5	126360-1	1	STEERING BRACKET RIGHT
6	607077	2	STEERING BLOCK A
7	607076	2	STEERING BLOCK B
8	607957-4	2	STEERING LEVER W/A
9	607069	2	STEERING BAR W/A
	781260	1	GRIP, STEERING BAR
10	767954	12	FW 0.379X.82X.06 HD ZN
11	036244	4	CS .375-16X1.00 HX G5 ZN
12	086660	4	NT .375-16NLG8
13	023655	2	NT 0.312-24 NL G8
14	126361-1	1	STEERING LINKAGE MOUNT
15	603983	2	DAMPER
16	781922	4	BALL STUD
17	056036	2	CS .375-16X2.250HXG5
18	607938	2	STEERING ROD S/A
19	126359-1	1	STEERING LINKAGE LEFT
20	126358-1	1	STEERING BRKT LH
21	126363-1	1	BRAKE CRANK LEFT
22	126357-6	1	STEERING COVER W/A
23	601982	2	CN .250-20X .150 MAX THK
24	768523	6	FW 0.343SAE
25	601069	3	CN .312-18x.200 MAX THK
26	005108	2	CS .375-16X3.500HXG5
27	765339	4	BUSHING,IGUS#0608 (FS)
28	793315	2	SWITCH, SNAP MOUNT
Comments for Part Num. 793315 1. Torque to 11 ft-lbs. 2. Do not torque; the brake bell crank must pivot freely. 2. The steering arms include the grips.			
29	016253	6	CB .312-18X .750 FUL ZN
30	808493	2	RIVET NUT, 3/8-16 THREA

This page intentionally left blank

Item	Part No.	Qty	Name
31	706168	2	NT .375-16JAMG5
32	604365	2	CS .375-12X1.50 HX G5 ZN
33	607965	2	BRAKE CABLE

Comments for Page: Steering Assembly (Multi-Page)


- 1. Torque to 11 ft-lbs.
- 2. Do not torque; the brake bell crank must pivot freely.
- 2. The steering arms include the grips.




Item	Part No.	Qty	Name
1	607815	2	S/C TO 609112
2	061077	8	WHEEL NUT
3	607831	2	BEARING CAP
4	705954	2	CS .500-13X1.25 HX G5 ZN
5	712976	2	FW 0.531X1.38X.12 ZN
6	784223	4	BEARING
7	784603	2	SPACER
8		2	REFER TO "FRONT WHEEL ASSEMBLY"

Comments for Page: Wheels & Tires


- 1. Torque to 88–102 N•m.




Item	Part No.	Qty	Name
1	605042	1	FORK W/A, 13X5
2	061101	1	NT .750-10 HX ZN NL GR B
3	025296	2	FW .760X1.63X0.08 ZN
4	786731	1	CS .750-10X8.000HXG5
5	605049	1	TIR/WHL 13X5.00-6 BLK
	608139	1	TIR/WHL 13X5.00-6 BLK
6	604845	2	BEARING, WHEEL SEALED
7	019521	1	TIRE VALVE TR-412 GOODY




Item	Part No.	Qty	Name
1	607798	1	20X8.00-10 B4R BIG BITE TIRE
2	605034	1	WHL 10X7.00 4X4.0 BLK
3	019521	1	TIRE VALVE TR-412 GOODY



This page intentionally left blank



This page intentionally left blank



Item	Part No.	Qty	Name
1		1	ENGINE, KAW FR691V
2	604463P	1	HOSE, OIL DRAIN - 1 FT
3	607854	1	MUFFLER
4	767954	4	FW 0.379X.82X.06 HD ZN
5	602580	4	CS .375-16X1.25HXG8FTZN
6	029876	1	LW .312 INTEXT ZN
7	720516	1	CS M8-1.25X16HX FL10.9
8	606445	1	STARTER SOLENOID
9	768515	4	FW 0.281SAE
10	055939	2	CS .250-20X0.75 HX G5 ZN
11	768523	1	FW 0.343SAE
12	041152	2	NT .312-24 HX G8
13	601319	1	POS. BATTERY CABLE BOOT
14	000323	2	CLIP, HOSE CLAMP
15	015818P	1	FUEL LINE, 1/4" - 6 FT
16	000331	2	WIRE TIE, SMALL/SHORT
17	603326P	1	VAPOR LINE, 3/16" - 7 FT


Comments for Page: Engine & Muffler (Multi-Page)

1. Supplied with the engine.
2. Torque to 41–47 N•m. Replace (do not reuse) the cap screw if it is removed or loosened. Use only hand tools to install this fastener.
3. Torque to 23 N•m.
4. Part of the wire harness.
5. Part of the fuel system.
6. Make sure the throttle lever is in the full throttle detent position.


FUEL & VAPOR LINE LENGTHS

A: 33 cm TANK TO FUEL FILTER (FUEL)

B: 64 cm ENGINE TO TEE (VAPOR)



Item	Part No.	Qty	Name
1	068478	1	FUEL FILTER - IN LINE
2	603059	1	AIR FILTER - MAIN
3	602581	1	ENGINE OIL FILTER
4	604369	1	O-RING 16 MM
5	604350	1	VALVE, OIL DRAIN



Item	Part No.	Qty	Name
1	126202-1	1	YELLOW, TANK MOUNT
2	713198P	1	SEAL 3/8x3/4 - 6 FT
3	608040P	1	RUBBER STRIP - 7 FT
4	056077	1	CS .250-20X1.000HXG5
5	768515	1	FW 0.281SAE
6	607745	1	FUEL TANK ASSY
7	607731	1	CAP - 2.25" KELCH
8	603326P	1	VAPOR LINE, 3/16" - 7 FT
9	000331	1	WIRE TIE, SMALL/SHORT
10	605690	1	TEE, 3/16" PLASTIC
11	605564	1	BOOT, 3/16 TO 3/16
12	604323	1	VAPOR SYSTEM FILTER
13	000430	1	WIRE TIE, SMALL/LONG
14	604966	2	TRIM LOCK, 1.13"

Comments for Page: Fuel System

SEAL/RUBBER STRIP LENGTH


A: 13 cm

B: 10 cm


C: 20.3 cm

VAPOR LINE LENGTH


D: 42 cm TANK TO VAPOR TEE (VAPOR)



Item	Part No.	Qty	Name
	607745	1	FUEL TANK ASSY
1	605126K	1	SUCTION HOSE SVC KIT
2	604287K	1	VENT FITTING SVC KIT
3	604200K	2	GROMMET SVC KIT




Item	Part No.	Qty	Name
1	556339	1	SVC DECK DECAL INSTALL
2	781419	1	DECAL, BELT ROUTING
3	604222	2	DECAL, DANGER / OBJECTS
4	793976	1	DECAL,48"DECK ID




Item	Part No.	Qty	Name
1	781567	3	NT .500-13NLG5
2	125847-4	1	BELT GUIDE, 4.00" IDLER
3	607428	1	FW 0.531 X 0.90 X 0.134
4	605467	3	DUST SHIELD
5	605512	1	4" IDLER PULLEY
6	604110	2	ANCHOR, SPRING TENSIONER
7	607616	1	SPRING, DECK IDLER
8	604194	1	SLED, IDLER
9	604079	2	IDLER SLIDE, EXTRUDED
10	608059	5	NT .312-18 FL NY G5
11	604253	1	CB .50-13 X 2.00 STD ZN
12	705954	3	CS .500-13X1.25 HX G5 ZN
13	798603	3	FW .515X1.65X.12 HD ZN
14	604661	6	SPACER, SPINDLE PULLEY
15	604665	3	PULLEY, DECK DRIVE B-SEC
16	604515	12	NT .375-16 FL NY GF
17	017129	1	FW .440X1.00X0.08 ZN
18	604486	2	FW .531X.812X.089 HD
19	607480	2	IDLER PULLEY, 4.00"
20	605508	2	FW .73X2.25X.31 ZN
21	607418	3	BLADE SPINDLE ASSY
22	016253	5	CB .312-18X .750 FUL ZN
23	604254	2	CB .50-13 X 2.50 STD ZN

Comments for Page: Deck Pulley & Spindles

1. Torque to 99 N•m.
2. Torque to 41 N•m.
3. Torque to 160 N•m.
4. Torque to 4–8 N•m.



Item	Part No.	Qty	Name
	607418	1	BLADE SPINDLE ASSY
1	783548	1	RING, BLADE SPINDLE RET
2	601827	2	BEARING, 6205 2RST C3
3	601830	1	SPACER, BLADE SPINDLE
4	607419	1	SVC, SPINDLE HOUSING
5	607416	4	AXEL BOLT 3/8-16 X 1.375
6	601829	1	SHAFT, BLADE SPINDLE




Item	Part No.	Qty	Name
1	604324	4	CS .250-20 X .75 HX FLG
2	607865	1	PULLEY COVER, RH
3	607866	1	PULLEY COVER, LH
4	791988	1	DECK BELT
5	608584-4	2	PULLER, DECK W/A
6	004168	2	FW .531x1.00x.090 ZN
7	607051	2	CP, RUE RING .062 X .520
8	781567	1	NT .500-13NLG5
9	767962	1	FW .531 x 1.063 x .175
10	602341	1	WHEEL, ANTI-SCALP
11	602344	1	SPACER, ANTI- SCALP 5.73
12	602338	1	CB .50-13 X 7.50 STD ZN
13	083147	2	CB .312-18X .620 G5 ZN
14	607946	2	BUMPER, DECK
15	079210	2	FW 0.344X1.0X0.06 ZN
16	604251	2	NT .312-18 HXNL JAM G2ZN
17	607558	3	BLADE, 16.50"-L-F-CW
	607558X	1	10PK, BLADE 16.50"
	601014	3	BLADE, F16.50"-L-F-CW
	601014X	1	10PK BLADE, F16.50-L-F-C
	795757	3	BLADE, F16.50"-H-F-CW
	795757X	1	10PK BLADE, F16.50"-H-F-
	796623	3	BLADE, 16.50"-MUL-F-CW
	796623X	1	10PK BLADE, 16.50"-MUL-F
	796631	3	BLADE, 16.50"-GAT-F-CW
	796631X	1	10PK BLADE, 16.50"-GAT-F
	796649	3	BLADE, 16.50"-CAT-F-CW
	796649X	1	10PK BLADE, 16.50"-CAT-F
18	607962	3	CW .678 X 1.500 X .135
19	781872	3	CS .625-11X1.250HXG5

Comments for Page: Deck Belt, Pulley Covers, & Blades

1. Torque to 160 N•m.
2. Torque to 4–8 N•m.
3. Torque to 2.71–8.13 N•m.


LEFT SIDE SHOWN
RIGHT SIDE SIMILAR




Item	Part No.	Qty	Name
1	128233-1	1	BRACKET, SHIELD MOUNT
2	122297	2	BRACKET, SHIELD MOUNT
3	058776	4	NT .312-18NLG5
4	604252	6	FW .340X.68X.04 ZN
5	083147	2	CB .312-18X .620 G5 ZN
6	128232-1	1	SHIELD, REAR DISCHARGE
7	034280	2	CS .312-18X0.750HXG5

Comments for Page: Debris Shield


- 1. Part of the transmission assembly.




This page intentionally left blank



This page intentionally left blank




Item	Part No.	Qty	Name
1	771212	8	CB .312-18X 1.750 G5
2	086660	6	NT .375-16NLG8
3	767954	10	FW 0.379X.82X.06 HD ZN
4	605114	4	FW .41X.94X.25 UHMW
5	607970	4	PIVOT, DECK LIFT
6	126389-1	1	DECK LIFT W/A REAR
7	607912	4	DECK HANGER
8	607907	8	BUSHING, DECK LIFT
9	126369-1	4	SUPPORT, DECK HANGER
10	604251	8	NT .312-18 HXNL JAM G2ZN
11	126385-1	1	DECK LIFT W/A FRONT
12	607051	2	CP, RUE RING .062 X .520
13	004168	2	FW .531x1.00x.090 ZN
14	607093	4	CP, RUE RING .054 X .392
15	768259	2	BUSHING,IGUS#0810 (FS)
16	605466	1	TRANSPORT LATCH
17	605470	1	CE .500X2.00X1.63
18	793059	2	CLIP E,(1/2").80X.396X.
19	607039	1	PIN, .375X1.62 MAGNETIC
20	025395	2	CB .375-16X 1.00 G5 ZN
21	605538	1	DECAL, DECK HEIGHT
22	555703	1	SVC, DECK HEIGHT
23	126374-4	1	DECK LIFT LINK ZINC
24	118900	2	SPACER, DECK LIFT LINK
25	126370-1	1	DECK HEIGHT BRACKET
26	603113	2	CB .375-16X1.250 G5 ZN
27	016899	2	NT .375-16 FLKG5



Item	Part No.	Qty	Name
1	608028	1	SEAT, SK130 W/ RF WELD
2	604307	1	MOUNT, PUSH BUTTON
3	555767	1	SVC, SEAT PAN
4	768523	4	FW 0.343SAE
5	036236	4	CS .312-18X1.000HXG5
6	000331	1	WIRE TIE, SMALL/SHORT
7	086660	2	NT .375-16NLG8
8	767954	4	FW 0.379X.82X.06 HD ZN
9	607838	2	CAP
10	029751	2	CS .375-16X1.00 HXF G5ZN
11	793851	2	SPRING,COMP 1.25X4.00X.
12	016899	2	NT .375-16 FLKG5
13	036244	2	CS .375-16X1.00 HX G5 ZN
14	601815	1	DECAL, BATTERY WARNINGS
15	793315	1	SWITCH, SNAP MOUNT
Comments for Part Num. 793315 1. Torque to 11 ft-lbs. 2. Do not torque; the brake bell crank must pivot freely. 2. The steering arms include the grips.			

Comments for Page: Seat

1. Do not torque; the seat pan must pivot freely.
2. Torque to 9 N•m.



Item	Part No.	Qty	Name
	608028	1	SEAT, SK130 W/ RF WELD
1	608153	1	SVC, ARMREST KIT SK130
2	793315	1	SWITCH, SNAP MOUNT
Comments for Part Num. 793315 1. Torque to 11 ft-lbs. 2. Do not torque; the brake bell crank must pivot freely. 2. The steering arms include the grips.			