

ELIET®


Price List 2026 Denmark





Table of Contents

4	Shredders
14	Scarifiers/ Dethatchers
18	Overseeders
20	Sod cutter
21	Topdresser
22	Seeders
24	Edge cutters
26	Multi Vacuum
28	Blowers
32	E-Power



ELIET®

Technical specifications and equipment are subject to change.
No rights may be derived from the information or illustrations
provided.

Shredders

ELIET NEO

E



Shreddable timber diameter.....	Neo: 30 mm / 1-1/4" - Neo2 & Neo3: 35 mm / 1-3/8"
Chopping speed (cuts/min).....	36.000
Capacity (wheelbarrows/h.).....	Neo: 6 - Neo2: 8 - Neo3: 10
Blades.....	RESIST™/6 (12 units)
Collecting box capacity.....	40 L / 10 gal.
Feeding height.....	Neo: 1140 mm / 46 inch - Neo2 & Neo3: 1390 mm / 56"
Storage size (LxWxH).....	Neo: 600 x 600 x 750 mm / 28" x 24" x 30"
	Neo2 & Neo3: 800 x 600 x 1000 mm / 32" x 24" x 40"
Weight.....	Neo: 40 kg / 88 lbs - Neo2 & Neo3: 43 kg / 95 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 001 011 911	NEO	3.5 HP elec. 230 V/1~ (2500 W)	5,325.00 DKK
MA 001 011 912	NEO²	4.0 HP elec. 230 V/1~ (3000 W)	6,225.00 DKK
MA 001 011 913	NEO³	4.8 HP elec. 380 V/3~ (3500 W)	6,487.50 DKK
MA 001 001 032	NEO Accessory Poke		
MA 001 001 035	NEO Accessory Collection bag		
BU 401 100 102	NEO Set of spare blades RESIST/6 (12 units)		

ELIET MAESTRO CITY



Shreddable timber diameter.....	City elektr. 230 V: 35 mm / 1-3/8" City: 40 mm / 1-1/2"
Chopping speed (cuts/min).....	36.000
Capacity (wheelbarrows/h.).....	10
Blades.....	RESIST™/6 (12 units)
Collection bag capacity.....	60 L / 16 gallon
Feeding height.....	1050 mm / 41"
Storage size (LxWxH).....	740 x 650 x 910 mm / 29" x 26" x 36"
Weight.....	City elektr. 230 V: 60 kg / 132 lbs City: 63 kg / 139 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 001 052 123	Maestro City	5.0 HP B&S XR 750	10,012.50 DKK
MA 001 052 912	Maestro City E-AC230V	4.0 HP Elect 1~/230V (3000 W)	9,375.00 DKK
MA 001 052 913	Maestro City E-AC380V	4.8 HP Elect. 3~/380V (3500 W)	10,125.00 DKK
MA 001 052 001	Multi purpose grating for wet greenwaste		
BU 401 100 102	Set of spare blades RESIST/6 (12 units)		

COMPACT STORAGE

To easily transport the Maestro in the trunk of a vehicle, the hopper can be completely removed. This is done quickly and require no tools. This allows for very compact and space-saving storage after work.



CLEAN WORK


The collection bag of the Maestro City has a capacity of 60 L / 16 gallon, and the collection bag of the Maestro Country has a capacity of 80 L / 21 gallon. It is made of sturdy textile with a hard, moldable plastic bottom. The bag slides seamlessly into the frame and ensures that all the shreds are collected. This keeps the environment around the shredder clean! Thanks to the wide handle, handling the filled collection bag is very easy.



DIVERSITY

Thanks to its special shredding system, the ELIET Maestro can deal with not only thick branches but also fine pruning waste including that from hedges and shrubs with no problem. Also leafy-rich green waste from flower borders or vegetable gardens can be mixed in together. Even autumn leaves that have been collected up can be put through the shredder. Should anyone want to exclusively shred such moisture-rich green material, ELIET advises to replace the standard calibration sieve by an optional "multi-purpose grating for wet greenwaste" (Art. code MA 001 052 001) in order to prevent any clogging.

Standard calibration sieve



Multifunctional sieve for wet greenwaste

ELIET MAESTRO COUNTRY



Shreddable timber diameter.....	45 mm / 1-3/4"
Chopping speed (cuts/min).....	36.000
Capacity (wheelbarrows/h.).....	14
Blades.....	RESIST™/6 (12 units)
Collection bag capacity.....	80 L / 21 gallon
Feeding height.....	1200 mm / 47"
Storage size (LxWxH).....	740 x 650 x 1050 mm / 29" x 26" x 41"
Weight.....	63 kg / 139 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 001 053 124	Maestro Country	6.5 HP B&S XR 950	12,562.50 DKK
MA 001 053 913	Maestro Country	4.8 HP Elect. 380 V/3~ (3500 W)	12,000.00 DKK
MA 001 053 801	Maestro Country E-DC	4.5 HP battery (3200 W)	14,242.50 DKK
MA 001 052 001	Multi purpose grating for wet greenwaste (option)		
MA 001 001 051	Li-Ion battery (option) 56V - 5Ah		
MA 001 001 052	Li-Ion battery (option) 56V - 10Ah		
MA 001 001 050	Charger for Li-ion battery (option)		
BU 401 100 102	Set of spare blades RESIST/6 (12 units)		

THE MAESTRO RANGE FROM ELIET



THE FIRST BATTERY-POWERED SHREDDER!

The ELIET Maestro Country E-Power is the first battery powered shredder on the market. Thanks to the efficient ELIET shredding technology, the Maestro E-Power has the highest possible autonomy.

This shredder also offers a number of other advantages

- ▶ No gas/gas consumption
- ▶ Cordless
- ▶ Minimal maintenance



VIBRATION DAMPER

The Maestro Country is designed for larger urban gardens. The volume and thickness of grass clippings grows with each new garden year. To take advantage of the Maestro Country's performance, the engine base is mounted on vibration dampers. The blade shaft support bearing has a bushing on the end. In this way, excessive loads can be maximally absorbed and a long service life is assured.

ELIET MINOR 4S



Shreddable timber diameter.....	50 mm / 2"
Chopping speed (cuts/min).....	45.000
Capacity (wheelbarrows/h.).....	16
Blades.....	RESIST™ /8.3 (18 units)
Feed intake opening.....	190 x 250 mm / 7" x 10"
Output chute TURBO DISCHARGE™	Impeller Ø 295 mm / 12-1/2"
Weight.....	92 kg / 203 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 002 013 922	Minor 4S	5.5 HP Elect. 380 V/3~ (4000 W)	18,525.00 DKK
MA 002 013 231	Minor 4S	6.0 HP Honda GP200	18,750.00 DKK
MA 002 013 132	Minor 4S	6.5 HP Vanguard 200	18,750.00 DKK
MA 002 013 206	Minor 4S	6.5 HP Honda GX200	19,650.00 DKK
BU 401 100 103	Set of spare blades RESIST™/6 (18 units)		
BU 401 200 301	Set of spare blades RESIST™/8.3 (12 units)		

ELIET MAJOR 4S



Shreddable timber diameter.....	60 mm / 2-3/8"
Chopping speed (cuts/min).....	45.000
Capacity (wheelbarrows/h.).....	24
Blades.....	RESIST™/8.3 (20 units)
Feed intake opening.....	245 x 250 mm / 9 x 10"
Output chute TURBO DISCHARGE™	Impeller Ø 295 mm / 12-1/2"
Weight.....	135 kg / 298 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 003 013 208	Major 4S	9.0 HP Honda GX270	27,375.00 DKK
MA 003 013 000	Major 4S	PTO*	23,625.00 DKK
BA 221 110 002	PTO (option)		
BU 401 200 302	Set of spare blades RESIST™/8.3 (20 units)		



SCAN ME



MINOR 4S



SCAN ME



MAJOR 4S



*Delivered without PTO shaft

4 SEASON
shredder™

Bio-TECH Chips

THE ELIET 4S 'FOUR-SEASON'
SHREDDERS

- Particularly suitable for all kinds of green waste. Pre-sorting is not necessary.
- Suction effect of green waste via feed hopper.
- Self-cleaning effect of discharge makes clogging virtually impossible.
- Clippings discharge via adjustable discharge chute.
- End result are fast composting chips.

BIOTECH™ CHIPS

- The cutting process according to the Chopping Principle™ strongly compresses and defibrillates the chips.
- These BioTech™ chips from ELIET therefore have favorable fiber structures that accelerate the decomposition process.
- After shredding, you obtain a high-quality mixture with optimal moisture content.

ELIET VECTOR 4S



Shreddable timber diameter.....	80 mm / 3"
Chopping speed (cuts/min).....	53,000
Capacity (m³ chips/h.) / (ft³/h.)	3.m³
Discharge height	RESIST™/8.3 (20 units)
Feed intake opening.....	520 x 540 mm / 21" x 21"
Output chute TURBO DISCHARGE™	Impeller Ø 325 mm / 13"
Weight.....	265 kg / 585 lbs - 350 kg / 771 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 034 001 209	Vector 4S STD	13.0 HP Honda GX390	42,525.00 DKK
MA 034 010 209	Vector 4S PRO	13.0 HP Honda GX390	54,000.00 DKK
MA 034 020 209	Vector 4S OW	13.0 HP Honda GX390	61,125.00 DKK
MA 034 030 209	Vector 4S CC	13.0 HP Honda GX390	70,500.00 DKK
MA 034 001 001	Infeed speed control valve		
BU 401 200 302	Set of spare blades RESIST™/8.3 (20 units)		
MA 034 001 003	Bearing protection kit		

SHREDDING TECHNOLOGY



4 VERSIONS



VECTOR 4S STD
not self-propelled/ not self feeding

VECTOR 4S PRO
not self-propelled/with feed roller

VECTOR 4S (ZR) ON WHEELS
self-propelled on wheels/with feed roller

VECTOR 4S (CC) CROSS COUNTRY
self-propelled on tracks/with feed roller

ELIET TURBO DISCHARGE™



The ELIET Minor, Major & Vector are 4-season (4S) shredders that operate according to the Chopping principle™ and are equipped with the Turbo Discharge™ system. This suction turbine creates a kind of vacuum effect that sucks the green waste into the shredder and then blows the chips away via a rotating output chute. The permanent air flow of this turbo-generator permanently cleans the system so that clogging is virtually impossible.



Prof 6

ELIET PROF 6



Shreddable timber diameter	100 mm / 4"
Chopping speed (cuts/min).....	54.000
Capacity (m ³ chips/h.) / (ft ³ /h.)	4 m ³ / 475 kg / 1050 lbs
Discharge height	1800 mm / 6 ft
Output chute TURBO DISCHARGE™	Impeller Ø 325 mm / 13"
Dimensions	1780 x 830 x 1520 mm / 70" x 33" X 60"
Weight (On Wheels, Cross Country, On Road, PTO)	361 kg/796 lbs 426 kg/940 lbs 419 kg/924 lbs 308 kg/ 679 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 032 010 131	Prof 6 On Wheels	14.0 HP Vanguard 400	81,000.00 DKK
MA 032 020 131	Prof 6 Cross Country	14.0 HP Vanguard 400	101,250.00 DKK
MA 032 030 131	Prof 6 On Road	14.0 HP Vanguard 400	93,750.00 DKK
MA 032 040 000	Prof 6 PTO*	PTO version + Hydro + ABM	70,500.00 DKK
MA 032 010 821	Prof 6 E-Power On Wheels	7.0 kW - 48V DC Vanguard (Eco Eye™)	180,000.00 DKK
MA 032 020 821	Prof 6 E-Power Cross Country	7.0 kW - 48V DC Vanguard (Eco Eye™)	195,000.00 DKK

ELIET PROF 6 MONSTER



B



Shreddable timber diameter	100 mm / 4"
Chopping speed (cuts/min).....	54.000
Capacity (m ³ chips/h.) / (ft ³ /h.)	4 m ³ / 475 kg / 1050 lbs
Discharge height	1800 mm / 6 ft
Output chute TURBO DISCHARGE™	Impeller Ø 325 mm / 13"
Dimensions	1780 x 830 x 1520 mm / 70" x 33" X 60"
Weight (On Wheels, Cross Country, On Road)	370 kg/815 lbs 435 kg/959 lbs 428 kg/943 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 032 010 113	Prof 6 Monster On Wheels	18.0 HP B&S Vanguard	100,125.00 DKK
MA 032 020 113	Prof 6 Monster Cross Country	18.0 HP B&S Vanguard	119,250.00 DKK
MA 032 030 113	Prof 6 Monster On Road	18.0 HP B&S Vanguard	114,000.00 DKK

ABM-SYSTEM™

This ingenious system completely autonomously controls the input speed.

Optionally available for the Prof 6. (For Prof 6 PTO series)

MAINTENANCE-FRIENDLY

Thanks to the motto "FAST PIT STOP" the machine was designed so that it can be disassembled in record time to access the parts to be serviced. No tools are required. This allows routine inspection or maintenance to be done quickly after each working day, this also makes it easier to do an important maintenance. This way, the machine always remains in excellent condition for best performance day after day.



ART.	OPTIONS (PROF 6 & PROF 6 MONSTER)		alle priser er ekskl. Moms
MA 032 001 001	ABM System™		
MA 032 001 002	Infeed speed control valve		
MA 029 001 004	Lifting hook (Prof 6/ Superprof)		
MA 029 001 006	Chip catcher		
MA 032 001 004	Bearing protection kit		
MA 032 001 009	Hydraulic balancer kit for tracked model		
BA 221 110 002	PTO (option)		
BU 401 300 202	Set of spare blades RESIST/8 (24 units)		
MA 040 001 000	ELIET Big Hands™ - Leaf gripper		

**BIG HANDS™**

With this ELIET gripper you can clear all your **green waste efficiently and ergonomically** in no time. The gripper has a light weight (2.1 kg) and is very easy to operate. So you can quickly clear large volumes of leaves, moss, grass,... without having to make physically strenuous efforts.


www.bighands.com


SCAN ME

PROF 6
PTO

4 VERSIONS

**PROF 6**

On Wheels

Self-propelled - wheels

**PROF 6**

Cross Country

Self-propelled - tracks

**PROF 6**

On Road

On trailer

**PROF 6**

PTO

on PTO

**PROF 6 ePOWER**

Available in Cross Country & On Wheels

Super Prof

ELIET SUPER PROF



Shreddable timber diameter.....	130 mm / 5"
Capacity (m³ chips/h.) / (ft³/h.).....	6/210
Blades.....	RESIST™/8 (24 units)
Discharge system calibration.....	calibration screen & AXELERO™ Ø 300 mm / 12"
Output chute.....	280° rotatable discharge chute
.....	two-part directional discharge deflector
Weight (On Wheels, Cross Country, On Road).....	437 kg / 964 lbs 502 kg / 1107 lbs 495 kg / 1092 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 029 040 113	Super Prof On Wheels	18.0 HP B&S Vanguard	118,875.00 DKK
MA 029 050 113	Super Prof Cross Country	18.0 HP B&S Vanguard	141,375.00 DKK
MA 029 070 113	Super Prof On Road	18.0 HP B&S Vanguard	126,375.00 DKK
BU 401 300 202	Set of spare blades RESIST™/8 (24 units)		
MA 040 001 000	ELIET Big Hands™ - Leaf gripper		



30 YEARS SuperProf - Special Edition

The ELIET Super Prof Limited Edition is an exceptional shredder, specially designed to celebrate its 30th anniversary. This unique version combines the trusted power and performance of the Super Prof with exclusive extras that truly make it stand out, including work lighting and a sparkling finish.



SCAN ME



SUPER
PROF



ECO EYE™

This technology detects when the machine is not shredding. At such a non-productive moment, the system automatically switches the engine from full throttle to idle. This not only greatly reduces emissions and fuel consumption, but also has a beneficial effect on the shredder's overall noise level.

As soon as the built-in infrared sensor detects the operator again for input, full shredding power is made available again in a fraction of a second. With Eco Eye™, ecology and economy go hand in hand.



Super Prof **MAX**

ELIET SUPER PROF **MAX**

AXELERO™



Eco Eye™	standard
Shreddable timber diameter.....	130 mm / 5"
Capacity (m3 chips/h.) / (ft3/h.).....	6.5/230
Blades.....	RESIST™/10 (24 units)
Discharge system.....	calibration screen & AXELERO™ Ø 300 mm / 12"
Output chute.....	280° rotatable discharge chute
.....	two-part directional discharge deflector
Weight.....	441 kg / 973 lbs 506 kg / 1116 lbs 499 kg / 1100 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 029 040 125	Super Prof MAX On Wheels + Eco Eye™	23.0 HP B&S Vanguard EFi	135,000.00 DKK
MA 029 050 125	Super Prof MAX Cross Country + Eco Eye™	23.0 HP B&S Vanguard EFi	157,500.00 DKK
MA 029 070 125	Super Prof MAX On Road + Eco Eye™	23.0 HP B&S Vanguard EFi	146,250.00 DKK
BU 401 301 000	Set of spare blades RESIST™/10 (24 units)		

ART.	ACCESSORIES (SUPER PROF EN SUPER PROF MAX)	alle priser er ekskl. Moms
MA 029 001 001	Eco Eye System	
MA 029 001 002	Agriculture tyres (supplementary price)	
MA 029 001 003	Infeed speed control valve	
MA 029 001 004	Lifting hook	
MA 029 001 005	Parking brake for Super Prof CC	
MA 029 001 006	Chips catcher	
MA 029 001 007	Special grating (honeycomb holes 30 mm) bottom part	
MA 029 001 008	Special grating (honeycomb holes 30 mm) upper part	
MA 029 001 009	Special grating (honeycomb holes 35 mm) bottom part	
MA 029 001 010	Special grating (honeycomb holes 35 mm) upper part	
MA 029 001 011	Multi purpose grating for wet greenwaste	
MA 029 001 012	Bearing protection kit	
MA 029 001 013	Palm fronds grating	



3 VERSIONS



SUPER PROF (MAX)

On Wheels

Self-propelled on wheels



SUPER PROF (MAX)

Cross Country

Self-propelled on wheels



SUPER PROF (MAX)

On Road

Trailer



1. PRICE LIST 30 MARCH 2009

VANGUARD
COMMERCIAL POWER

EFI
ELECTRONIC FUEL INJECTION

Mega Prof

ALL-ROUND SHREDDER FOR FULL SEASON



Example with mechanical trailer brake of the Mega Prof gasoline

Overrun brake only with
MA 018 011 137

230 cm
9"05'



work lights rear bumper

IRRESISTIBLE

With its Mega Prof, ELIET has an absolutely all-purpose shredder that will delight many garden contractors and municipalities. The unique ELIET Chopping Principle™ in combination with a powerful 25 hp diesel or 37 hp gas engine guarantees an amazing efficiency with a capacity of up to 15 cm/ 6". To fully utilize this shredding capacity, particular attention was paid to the comfort and ergonomics of the feeder. The machine is also equipped as standard with the innovative Eco Eye™ system. This ensures minimum consumption, low emissions and low noise levels. Thus, ecology, ergonomics and economy go hand in hand.

<750
Kilogram
<1650 lbs



ELIET MEGA PROF



Eco Eye™	standard
Shreddable timber diameter.....	150 mm / 6"
Capacity (m³ chips/h).....	10/350
Blades.....	RESIST™/10 (24 units)
Discharge System.....	calibration screen & AXELERO™ Ø 300 mm / 12"
Output chute.....	280° rotatable discharge chute
.....	two-part directional discharge deflector
Weight (On Road On Wheels).....	748 kg / 1649 lbs 899 kg / 1981 lbs

MEGA PROF ON WHEELS



ART.	VERSION		alle priser er ekskl. Moms
MA 018 011 340	MEGA PROF On Road + Eco Eye™	25.0 HP Kubota diesel	183,750.00 DKK
MA 018 011 137	MEGA PROF On Road + Eco Eye™	40.0 HP B&S Vanguard EFI	195,000.00 DKK
MA 018 081 340	MEGA PROF On Wheels + Eco Eye™	25.0 HP Kubota diesel	224,250.00 DKK
MA 018 001 018	Special grating (honeycomb holes 35 mm) lower part		
MA 018 001 019	Special grating (honeycomb holes 35 mm) upper part		
MA 018 001 020	Multi purpose grating for wet greenwaste		
MA 029 001 006	Chips catcher		
MA 018 001 021	Working light in rear bumper		
MA 018 001 022	Collision protection		
BU 401 301 000	Set of spare blades RESIST™/10 (24 units)		
MA 018 001 023	Palm fronds grating		



VANGUARD EFI GASOLINE

The ELIET Mega Prof is also available with the Vanguard EFI two-cylinder gasoline engine. EFI refers to "electronic fuel injection." This controlled fuel injection is linked to the engine load.

THIS PROVIDES THE FOLLOWING BENEFITS

- higher torque, more power under load
a more constant number of revolutions
- 25% less fuel consumption
- more efficient combustion, fewer emissions
no more choking
- less noise
- carburetor problem during transport is eliminated

This convincing "green waste eater" is already extremely efficient and economical due to the unique ELIET shredding system. The modern EFI engine technology brings these advantages even better into practice and makes the machine even more powerful!



KUBOTA DIESEL

Professionals often prefer the diesel engine because of its durability and higher torque.

For the Mega Prof, ELIET has chosen the reliable Kubota diesel engine. The water-cooled three-cylinder has 25 hp. A particulate filter is also available as an option.



Scarifiers - Dethatchers

ELIET E401



Operating width.....	400 mm / 16"
Permanently Sharp Blades™ PSB™.....	Yes - min. 100 hrs.
fixed, loose, Double-Cut - blades (number thickness).....	14 3 mm / 0.12" - 26 2.5 mm / 0.1" - 24 1.5 mm / 0.06"
Depth adjuster.....	front + back
Vertical belt tension.....	Yes
Collection bag (standard) (excl. ECOLINER).....	60 L - 16 gallons
Weight.....	40 kg / 88 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 007 040 902	E401 fixed blades ECO LINER 3.0 HP elect. Mono 2200 W	6,900.00 DKK
MA 007 040 121	E401 fixed blades ECO LINER 4.0 HP B&S Series 550	6,900.00 DKK
MA 007 010 230	E401 STD fixed blades PSB™ 5.0 HP Honda GP160	9,000.00 DKK
MA 007 020 230	E401 STD loose blades PSB™ 5.0 HP Honda GP160	9,975.00 DKK
MA 007 030 230	E401 STD DC blades PSB™ 5.0 HP Honda GP160	9,300.00 DKK
MA 007 030 203	E401 PRO* DC blades PSB™ 4.0 HP Honda GX120	10,275.00 DKK
BU 402 100 101	Set of spare fixed blades (14 units)	
BU 402 200 101	Set of spare loose blades (26 units)	
BU 402 300 101	Set of spare Double-Cut blades (24 units)	
BU 402 300 202	Set of spare ECO LINER blades (24 units)	
BQ 348 080 010	Spare collection bag	
MA 007 001 002	Foldable handle for rental (supplementary price)	

ELIET E450



Operating width.....	450 mm / 18"
Permanently Sharp Blades™ PSB™.....	Yes - min. 100 hrs.
fixed, loose, Double-Cut - blades (number thickness).....	16 3 mm / 0.12" - 30 2.5 mm / 0.1" - 28 1.5 mm / 0.06"
Depth adjuster.....	front + back
Vertical belt tension.....	Yes
Collection bag (standard) (excl. ECOLINER).....	60 L - 16 gallons
Weight.....	51 kg / 112 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 025 010 205	E450 PRO fixed blades PSB™ 5.5 HP Honda GX160	13,125.00 DKK
MA 025 020 205	E450 PRO loose blades PSB™ 5.5 HP Honda GX160	14,475.00 DKK
MA 025 030 205	E450 PRO Double-Cut blades PSB™ 5.5 HP Honda GX160	13,800.00 DKK
MA 025 030 802	E450 E-Power 4.5 HP battery 56V DC (3200 W)	14,625.00 DKK
MA 025 001 001	Collection bag	
BU 402 100 203	Set of spare fixed blades (16 units)	
BU 402 200 203	Set of spare loose blades (30 units)	
BU 402 300 203	Set of spare Double-Cut blades (28 units)	

+ E401 Pro VM GX120 - Available while stocks of motor GX120 last



PERMANENTLY SHARP BLADES™, GET MORE OUT OF YOUR LAWN

Every ELIET scarifier is equipped as standard with the Permanently Sharp Blades™. A revolutionary technology gives the blades a self-sharpening effect so that they retain their point throughout their useful life.



SCAN ME



FOLDABLE HANDLE

So the ELIET E401 and E450 will not take up much space in your garage or storage space, or in the trunk of your car.

ELIET E501



Operating width	500 mm / 20"
Permanently Sharp Blades™ PSB™	Yes - min. 100 hrs.
fixed, loose, Double-Cut - blades (number thickness)	18 3 mm / 0.12" - 34 2.5 mm / 0.1" - 32 1.5 mm / 0.06"
Depth adjuster	front + back
Vertical belt tension	Yes
Weight	60 kg / 132 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 008 020 231	E501 STD fixed blades PSB™	6.0 HP Honda GP200	14,775.00 DKK
MA 008 020 206	E501 PRO fixed blades PSB™	6.5 HP Honda GX200	16,500.00 DKK
MA 008 030 206	E501 PRO loose blades PSB™	6.5 HP Honda GX200	18,300.00 DKK
MA 008 040 206	E501 PRO Double-Cut blades PSB™	6.5 HP Honda GX200	17,250.00 DKK
MA 008 001 001	Foldable handle for rental		
BU 402 100 201	Set of spare fixed blades (18 units)		
BU 402 200 102	Set of spare loose blades (34 units)		
BU 402 300 102	Set of spare Double-Cut blades (32 units)		

SCAN ME



foldable handlebars



Wide protective cover made of robust rubber



Large aluminium rear wheels
Ø250mm double ball bearings



VERTICAL TIRING

To decouple the blades, ELIET does not use a classic tensioning pulley, which causes failure every so often. In contrast, ELIET developed the "vertical belt tensioning". Here, a lever mechanism lifts the motor plate, thereby tensioning the belt. This allows the belt to retain its natural shape even under load, which significantly increases its life span.

ELIET E750



Operating width	750 mm / 30"
Permanently Sharp Blades™ PSB™	Yes - min. 100 hrs.
fixed, loose, Double-Cut - blades (number thickness)	25 3 mm / 0.12" - 48 2.5 mm / 0.1" - 44 1.5 mm / 0.06"
Depth adjuster	front + back
Vertical belt tension	Yes
Weight	80 kg / 176 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 009 010 207	E750 PRO fixed blades PSB™	9.0 HP Honda GX270	24,750.00 DKK
MA 009 020 207	E750 PRO loose blades PSB™	9.0 HP Honda GX270	26,250.00 DKK
MA 009 030 207	E750 PRO Double-Cut blades PSB™	9.0 HP Honda GX270	25,500.00 DKK
MA 009 001 001	Tow behind model (supplementary price)		
BU 402 100 202	Set of spare fixed blades (25 units)		
BU 402 200 103	Set of spare loose blades (48 units)		
BU 402 300 103	Set of spare Double-Cut blades (44 units)		



FB
fixed Blades



LB
loose Blades



DC
Double-Cut™ Blades



Self-Propelled (ZR) Scarifiers / Dethatchers



ELIET E450ZR - E550ZR - E650ZR



Operating width 450 - 550 - 650 mm | 17" - 21" - 25"

Blades.....Double-Cut blades (54 - 66 - 78 units)

Drive.....rubber traction roller diam. 150 mm / 6"

Driving speed.....2,5 km/h - 1,55 mph

Dimensions.....1230 x 630 x 1050 mm - 1230 x 730 x 1050 mm - 1230 x 820 x 1050 mm

.....48" x 25" x 42" - 48" x 29" x 42" - 48" x 32" x 42"


Weight.....85 kg / 187 lbs - 93 kg / 205 lbs - 120 kg / 265 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 037 010 205	E450ZR PSB™	5.5 HP Honda GX160	20,625.00 DKK
MA 037 010 802	E450ZR DC E-Power PSB™	4.5 HP battery 56V DC (3200 W)	22,275.00 DKK
MA 035 010 206	E550ZR PSB™	6.5 HP Honda GX200	24,375.00 DKK
MA 038 010 208	E650ZR PSB™	9.0 HP Honda GX270	29,625.00 DKK
MA 017 001 001	Easy clean (option)		
BU 402 100 454	Set of spare E450ZR Double-Cut blades (54 units)		
BU 402 100 400	Set of spare E550ZR Double-Cut blades (66 units)		
BU 402 100 478	Set of spare E650ZR Double-Cut blades (78 units)		



NO MORE CROSS DETHATCHING

With its self-propelled scarifiers, ELIET uses Double-Cut™ blades as standard. These are very thin blades that are only 15 mm - 5/8" apart. A single pass is sufficient to achieve maximum cleaning.



THE BLADES ROTATE AGAINST THE DIRECTION OF TRAVEL

The blades rake all the moss and thatch out of the turf even more efficiently. This is possible because they actually rotate against the direction of travel. Thanks to the wheel drive, it makes it easier for the operator.

New Tech, New POWER

ePOWER



The future is green

The EGO power source that provides the power for the ELIET E-Power machines is an integrated power cell. This is a combination of a 3200 W brushless DC motor and a docking station onto which two EGO 56 V Lithium-Ion batteries can be plugged.



BA2800T
5 AH



BA5600T
10 AH



Powered by
EGO



TIME SAVINGS

The C550ZR Collector collects the moss-tatch on a narrow verge. At the next work strip, this pile can be picked up again by the machine and, together with the raked material from this second work strip, it can be deposited on the first work strip in a single pass.

C600 Compactor scarifies and collects in 1 pass. The collection system is unique and carries the moss-tatch from the blades via driven rollers to two counter-rotating rollers, which compress the moss-tatch.

ELIET C550ZR COLLECTOR



Operating width	550 mm/ 21"
Blades	Double-Cut™ Blades (66 units)
Drive	rubber traction roller diam. 100 mm/ 4"
Driving speed	2,5 km/h - 1,55 mph
Discharge system	worm auger helix diam. 150 mm / 5"9'
Dimensions	1230 x 730 x 1050 mm / 48" x 29" x 42"
Weight	93 kg / 205 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 008 140 206	C550ZR COLLECTOR PSB™	6.5 HP Honda GX200
		28,612.50 DKK
MA 017 001 001	Easy clean (option)	
BU 402 100 400	Set of spare C550 Double-Cut blades (66 units)	



AGRIBEX 2019 Silver Boxwood ▲

SCAN ME




DZC Overseeders

ELIET DZC 450



Operating width	450 mm / 17"
Blades	45
Drive	rubber traction roller diam. 100 mm/ 4"
Driving speed	2 km/h / 1.2mph
Operating depth	Recommended 8 to 10 mm / 0.3" to 0.4"
Groove spacing	27 mm / 1"
Seed container	50 L / 13 gallon
Weight	125 kg / 275 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 033 010 206	DZC 450 PSB™ 6.5 HP Honda GX200	34,875.00 DKK
MA 033 001 001	Seed collector DZC 450	
BU 402 300 145	Set of STD spare blades (45 units) PSB™ (incl. nuts and bolts)	



BLOWN-IN TECHNOLOGY


A small turbine blows air into the seed distribution system. The seed receives an additional blast of air that blows it deep into the seed bed.



TOPDRESS ROTOR™

The projection stream of residual soil is pulverized and accelerated by a rubber topdress rotor. This spreads the soil evenly as a top dressing over the seed bed.

SCAN ME



ELIET DZC 600



Operating width.....	600 mm / 24"
Blades.....	38
Aandrijving.....	rubber traction roller Ø 150 mm/ 3"
Driving speed.....	2,5 km/h - 1,55 mph
Operating depth.....	Recommended 8 to 10 mm / 0.3" to 0.4"
Groove spacing.....	27 mm / 1"
Seed container.....	55 L / 14,5 gallon
Weight.....	129 kg / 284 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 028 020 207	DZC 600 PSB™ 9.0 HP Honda GX270	44,625.00 DKK
MA 028 001 004	Seed collector DZC 600 (from model 2016 to 03/2023) (option)	
MA 028 001 001	Seed collector DZC 600 (model 2014 & 2015)	
BU 402 303 357	set of spare Tungsten tipped blades (57 units) (incl. nuts and bolts)	
BU 402 300 157	set of STD spare blades (57 units) PSB™ (incl. nuts and bolts)	
BU 402 303 338	set of spare Tungsten tipped blades (38 units) (incl. nuts and bolts)	
BU 402 300 138	set of STD spare blades (38 units) PSB™ (incl. nuts and bolts)	



HELIEX SEED DUCT™ SYSTEM

Like no other overseeder, the ELIET DZC succeeds in delivering the grass seed into the soil in a very targeted manner. The patented seed distribution system leads the seed straight into the slits. The seed is in optimal conditions for rapid germination. Success assured!



AGRIBEX 2013 Golden buxus ▲

SCAN ME




ELIET DZC 750



Operating width.....	750 mm / 29"
Blades.....	48
Operating depth.....	Electric
roller drive.....	Hydrostatic
Seed container.....	46 L / 12 gallon
Weight.....	400 kg / 881 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 016 020 218	DZC 750 HST PSB™ 13.0 HP Honda GX390 (Hydrostatic)	71,812.50 DKK
MA 016 001 006	Seed collector DZC 750 (option)	
BU 402 101 000	set of spare blades (24 units) PSB TM (incl. nuts and bolts)	

New DZC600



Large roller

Topdress-Rotor™

Tungsten blades

Sod Cutter

Turfaway On wheels

Turfaway with hydrostatic 4x4 drive.

OPTIMAL GRIP

Turf cutting is preferable when the ground is wet. The tracks have a larger contact surface with the soil that provides maximum grip and better traction.

The superior grip of the tracked undercarriage allows a sod 60 cm - 24" wide to be loosened in one pass (which can be immediately cut lengthwise down the middle) in order to create two 30 cm - 12" strips.

SCAN ME




ELIET TURFAWAY600



Operating width.....	600 mm / 24"
Oscillations.....	800/min
Stroke.....	38 mm / 1.5"
Footprint machine.....	960 cm ²
Depth adjuster.....	0 up to -60 mm / 0 up to -2"
Weight (OW/CC).....	230 kg / 507 lbs 195 kg / 430 lbs
Traction (OW/CC).....	Hydraustatic (4x4 / wheels or tracks)

ART.	VERSION	alle priser er ekskl. Moms	
MA 031 020 206	TURFAWAY 600 On Wheels	6,5 HP Honda GX200 (Hydrostatic)	53,250.00 DKK
MA 031 010 206	TURFAWAY 600 Cross Country	6,5 HP Honda GX200 (Hydrostatic)	54,000.00 DKK
MA 031 001 001	Weight support		
BG 601 002 000	Supplementary front weight (per unit of 20 kg - 44 lbs)		
BU 105 041 150	STD Turf Away 600 Split blade (30/30 cm)		



BEST MANEUVERABILITY

The drive of the tracks is hydrostatic. The travel speed of each track can be infinitely controlled, allowing the machine to take turns smoothly and even turn on its axis.

BEST OPERATING COMFORT

Operating the Turfaway is child's play. The left hand operates the clutch for traction and blade drive. The right hand is free to steer the machine via a centrally located joystick. To bring the cutting blade to working depth, one appeals to the strength of the leg muscles because this is done with the foot. The handlebar has vibration dampers to increase operator comfort.

BEST CUTTING

In order to cut thin contiguous sod, the blade was placed behind the tracks. When cutting loose, the sod can move freely and is no longer pressed by the machine. Thanks to the eccentric drive, the blade makes fine oscillating movements. This makes it easier to maintain the depth. The working depth can be adjusted quickly and easily with one lever and a clear diagram.

MOST EFFICIENT

With a 60 cm - 24" wide blade, the Turfaway has the largest working width on the market for self-propelled sod cutters as standard. The extra grip of the tracks ensures that the machine performs well in all conditions. The blade can be adjusted at an angle so that, depending on soil conditions, sod can be removed as needed.

Spreader - Topdresser

Professional topdressing solution!



NEW!

MULTIFUNCTIONAL DESIGN

With the ELIET EcoCure™, you are not just investing in a spreader, but in a versatile system that can be adapted to a wide range of applications, significantly increasing the return on investment.

The EcoCure™ features a modular design, allowing a single basic machine to be used for multiple purposes. Its robust chassis, equipped with a 13 HP Honda GX 390 engine and a hydraulically driven transmission with proportionally adjustable displacement, ensures stability and excellent maneuverability. Quick hydraulic couplings allow implements to be changed instantly. Low-pressure tires protect the turf, while the low center of gravity makes changing accessories safe and easy.

Available versions: centrifugal spreader (ZR WS), inline spreader (ZR DS), hydraulic tipper, and transport platform.

ELIET ECOCURE

EcoCure

B



Spreading width.....	8 m / 26 feet
Hopper Volume.....	400 L / 106 gal - Optional extension to 600 L / 158 gal
Spreading Mechanism.....	2 x Spindle Ø 380 mm / 15"
Driving Speed (Forward - Reverse).....	4.5 km/h / 2.8 mph
Dimensions.....	2500 x 900 x 1030 mm / 99" x 36" x 41"
Weight (dry).....	458 kg / 1010 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 024 300 209	Ecocure ZR (Base)	13.0 HP Honda GX390 (Hydrostatic)	59,250.00 DKK
MA 024 001 007	Ecocure ZR WS (Option)	Wide Spreader (ZR WS)	40,500.00 DKK
MA 024 001 009	Ecocure ZR DS (Option)	Drop Spreader (ZR DS) <i>Coming soon</i>	
MA 024 001 006	Ecocure (Option)	Hydraulic dumper	34,875.00 DKK
MA 024 001 008	Ecocure (Option)	Flatbed (transport plate)	11,475.00 DKK
MA 024 001 004	Hopper extension	(extended edges)	

SPREADING DISCS

Two 380 mm (15") hydraulically driven discs disperse material with a spreading width of up to 8 m (26 ft). The EcoCure™ handles a wide range of additives—compost, sand, lime (granular or powdered), fertilizer—and can also spread salt in winter.

CONVEYOR BELT WITH AGITATOR

At the bottom of the conical hopper, a 450 mm (17") hydraulically driven conveyor belt feeds material to the spreading mechanism. Flow is regulated by the belt speed and the adjustable guillotine slide opening. An agitator mill at the outlet continuously loosens material to prevent clumping and bridging.

FULLY HYDRAULIC DRIVE SYSTEM

The EcoCure™ features maintenance-free hydraulic drives and a large 15 L (13 gal) oil reservoir that keeps the system cool, ensuring optimal performance in all conditions.

STEERING SYSTEM WITH INTUITIVE CONTROL PANEL

All controls are within easy reach on a clear, integrated dashboard. The fully hydrostatic drive offers infinitely variable speed control in both directions, allowing topdressing while driving forward or backward. A lever adjusts the conveyor belt and spreading disc speeds proportionally, while an adjustable stop lets operators quickly return to a preset flow rate when restarting (e.g., after turning).




Seeders **GZC**

ELIET GZC 750



Operating width.....	720 mm / 28"
Engine	Honda
Power	6,5 HP
Harrow (number of teeth).....	13
Seed collector.....	61 L / 16 gallons
Weight.....	385 kg / 849 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 016 011 206	GZC 750 HST 6.5 HP Honda GX200 (Hydrostatic)	80,250.00 DKK
BG 601 002 000	Supplementary front weight (per unit of 20 kg - 44 lbs)	
MA 016 001 022	Step	
MA 016 001 016	Seed collector GZC 750	
MA 016 001 011	Flat rear roller (supplementary price)	
MA 016 001 021	Front roller scraper	
MA 016 001 019	Rear roller scraper	



ELIET GZC 1000



Operating width.....	1,040 mm / 41"
Engine	Honda
Power	9 HP
Harrow (number of teeth).....	21
Seed collector.....	90 L / 24 gallons
Weight.....	415 kg / 915 lbs


ART.	VERSION	alle priser er ekskl. Moms
MA 016 011 208	GZC 1000 HST 9.0 HP GX270 (Hydrostatic)	84,000.00 DKK
BG 601 002 000	Supplementary front weight (per unit of 20 kg - 44 lbs)	
MA 016 001 023	Step	
MA 016 001 017	Seed collector GZC 1000	
MA 016 001 010	Flat rear roller (supplementary price)	
MA 016 001 020	Front roller scraper	
MA 016 001 018	Rear roller scraper	

SCAN ME



HYDROSTATICALLY DRIVEN ROLLERS

The hydrostatic drive allows stepless adjustment of working speed and switching from forward to reverse without disengaging.



INTUITIVE STEERING

Simply moving the handlebar sideways directs the drive to the front rollers and provides zero-turn maneuverability.



TINES

The heart of the GZC are the tines. It consists of two rows of tines that move back and forth, left to right. The working depth of the harrow can be adjusted to a maximum of 7 cm in depth.

The tines has two speeds. It takes care of the three essential operations: top dressing, leveling the terrain, incorporation of grass seed.

Edge Cutters

ELIET KS 240 STD



Blade.....	Ø 240 mm / 9"
Blade speed.....	2550 rpm
Angle adjuster.....	0° - 25° - 45°
Depth adjuster.....	7 positions - max. 80 / 3" 1/8
Weight.....	34 kg / 75 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 010 010 121	KS 240 STD 4.0 HP B&S Series 550	6,750.00 DKK
MA 010 010 230	KS 240 STD 5.5 HP Honda GP160	7,650.00 DKK
MA 010 001 002	Double front wheels KS 240 STD	
BU 103 200 100	8 teeth cutting disk KS 240 STD (Ø 240 mm)	
BU 103 100 100	Spare blade KS 240 STD (Ø 240 mm)	

ELIET KS 300 PRO + KS 300 PRO HD




Blade.....	Ø 300 mm / 12"
Blade spindle.....	double bearing PRO: Ø 40, PRO HD: Ø 70 mm / 3"
Angle adjuster.....	0° - 25° - 45°
Depth adjuster.....	PRO: 5 positions - PRO HD: 15 positions max. 110 mm / 4"
Height adjustable handle.....	7 positions
Weight.....	PRO: 37 kg / 81 lbs - PRO HD: 37 kg / 81 lbs

ART.	VERSION	alle priser er ekskl. Moms
MA 010 020 203	KS 300 PRO* 4.0 HP Honda GX120	9,000.00 DKK
MA 010 020 205	KS 300 PRO 5.5 HP Honda GX160	10,500.00 DKK
MA 010 020 802	KS 300 PRO E-Power 4.5 HP battery 56V DC (3200 W)	12,562.50 DKK
MA 010 022 205	KS 300 PRO HD (Heavy Duty) 5.5 HP Honda GX160	11,250.00 DKK
MA 010 001 003	Double font wheels KS 300 PRO / HD	
BU 103 200 200	8 teeth cutting disk KS 300 PRO (Mn-steel) (Ø 300 mm)	
BU 103 100 200	Spare blade (Ø 300 mm)	



HEIGHT-ADJUSTABLE HANDLEBAR

For optimum working comfort, the Pro/Pro HD edger has a 7-position height-adjustable handlebar.



BLADE ANGLE ADJUSTMENT

To cut away overgrown grass without damaging the shape of the edge, the blade can be angled.



POSITION OF THE FRONT AXLE

Even curves of creative lawns can be mowed perfectly with the ELIET edge cutter. With this, the axis of the front wheel has been precisely aligned with the shaft of the blade. As a result, the blade follows a radius of rotation proportional to the curve one takes with the front wheel. This allows the operator to follow the curves of the lawn in a much more targeted way.



SCAN ME



Edge Dresser

ELIET EDGE STYLER



Blade speed.....	1000 cycl/min.
Depth adjuster.....	depending on blade type
Driving speed.....	(0.9 km/h.)
Adjustable steering.....	PRO: angle and height
Weight.....	94 kg / 207 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 022 020 203	EDGE STYLER PRO*	4.0 HP HONDA GX120	20,400.00 DKK
MA 022 020 121	EDGE STYLER PRO	4.0 HP B&S XR550	19,650.00 DKK
MA 022 021 203	EDGE STYLER PLUS PRO*	4.0 HP HONDA GX120	21,375.00 DKK
MA 022 021 121	EDGE STYLER PLUS PRO	4.0 HP B&S XR550	20,625.00 DKK
MA 022 001 002	Wire trencher kit (contains blade)		
MA 022 001 005	Weight support		
BG 601 002 000	Supplementary weight (per unit of 20 kg - 44 lbs)		
MA 010 001 006	Edge cutting kit (reciprocating blade)		
BU 104 100 100	STD blade type1 V		
BU 104 100 200	STD blade type2 VV		
BU 104 100 300	STD blade type3 VVV		
BU 104 100 400	STD blade type4 VVVV		
BU 104 100 500	STD blade type5 VVVVV		
BU 104 101 100	Straight blade		
BU 104 102 100	U shaped blade 35mm		
BU 104 102 200	U shaped blade 50mm		
BU 104 103 100	Angular blade type1 V		
BU 104 103 200	Angular blade type2 VV		
BU 104 103 300	Angular blade type3 VVV		
BU 104 104 100	Wedge blade		
BU 104 103 400	Golf bunker blade		
BU 104 104 202	Wire trenching blade 50 mm		
BU 104 104 300	Replacement reciprocating blade		

SCAN ME



BLADE SELECTION



STD blade



Straight blade



U shaped blade



Angular blade



Wedge blade



Wire trenching blade



Golf bunker blade



Reciprocating blade

** PLUS Edge Styler machine mounted with rotary table kit

+ holder for weights

Compact Multi-Vacuums

ELIET TRUCKLOADER TL 450 PRO



Airflow.....	108 m ³ /min. / 3200 ft ³ /min
Noise Lw(A).....	112 dB (A)
Impeller.....	Ø 380 mm / 15"
Weight.....	125 kg / 275 lbs 132 kg/ 291 lbs 140 kg/ 308 lbs 145 kg/ 319 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 027 010 208	TL Pro 450	9.0 HP Honda GX270 (incl. easy handle)	28,125.00 DKK
MA 027 010 209	TL Pro 450	13.0 HP Honda GX390 (incl. easy handle)	31,875.00 DKK
MA 027 010 113	TL Pro 450	18.0 HP B&S Vanguard ES (incl. electric start & easy handle)	43,875.00 DKK
MA 027 010 117	TL Pro 450	23.0 HP B&S Vanguard ES (incl. electric start & easy handle)	51,375.00 DKK
MA 015 001 012	Suction hose extension kit 3.5 m (Ø200 mm) + couplings (option)		
MA 027 001 001	Electric start		
MA 027 001 004	Blow chute extension (L+300mm, H+300mm) (supplementary price)		

ELIET TRUCKLOADER TL 450 PRO HD



Airflow.....	108 m ³ /min. / 3800 ft ³ /min
Noise Lw(A).....	105 dB (A)
Transmission.....	belt drive
Discharge chute.....	INOX rotatable 360° - Ø 8"
Ergonomic handle.....	Yes
Emergency Stop.....	brake on impeller
Weight.....	160 kg / 352 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 015 010 113	TL Pro HD 450	18.0 HP B&S Vanguard ES (electric start)	64,200.00 DKK
MA 015 001 012	Suction hose extension kit 3.5 m (Ø200 mm) + couplings (option)		
MA 015 001 004	Special trailer (option)		
MA 015 001 005	Supportchassis with wheels (option)		
MA 015 001 006	Supportchassis with wheels and liftingsystem (option)		
MA 015 001 007	Blow chute extension (L+300mm, H+300mm) (supplementary price)		
MA 015 001 011	Flexible chute extension + centering device (option)		
MA 015 001 013	Stainless steel turbine wear protection plate		




OPTIONAL WITH TL 450 PRO HD

- Trailer for transportation,
- Discharge chute extension
- centered flexible discharge chute extension

THE SPECIALIST IN WASTE PROCESSING

The ELIET Truckloader has been tailored to the needs of the intensive user down to the smallest detail. With the ELIET Truckloader you can count on a reliable, solid, ergonomic machine with a guaranteed low maintenance cost.





1. BELT DRIVE

Belt driven to avoid tension on crankshaft.

2. BRAKE SYSTEM - EMERGENCY STOP SWITCH

ELIET has designed an ingenious system that surprises by its simplicity and ensures that when the V-belt is released, the bucket wheel is automatically braked at the same time. This significantly increases the safety level of the machine, since it is not the engine but the clutch that is disengaged in the event of a possible risk. This reduces the need to start the engine and extends the life of the starter motor.



1. QUICKLY REMOVABLE FRONT DOOR

The ELIET Truckloader has special screws on the outside of the turbine that can be removed in no time for cleaning.

2. QUICK CLEANING VALVE

When a lot of sludge and mud has been vacuumed up, this material saddle in the lower part of the turbine, forming a cake of earth. Therefore, ELIET has equipped the lower part of the unit with a cleaning door so that the turbine can be easily rinsed out with a garden hose.



DOUBLE CONICAL STEEL WHEEL

The blade wheel is made of 6 mm thick, high-quality Hardox steel and is highly resistant to material being sucked up such as stones, sand or earth.



SOUND-ABSORBING TURBINE WALL

Every leaf and stone sucked in makes its way through the suction hose and strikes the impeller. The centrifugal forces hurl the material against the turbine wall, from where it is spiraled to the blower nozzle. In this process, the turbine housing can be imagined as a noise-producing vessel. For sound insulation, ELIET has covered the housing with a rubber sheath and thus greatly reduced the noise level.

360° ROTATING OUTPUT CHUTE



ADJUSTABLE DEFLECTOR



SWINGHANDLE™

Transparent suction hose and lightweight Swinghandle™ nozzle

Blowers

ELIET BL 360



Ventury Jet™		Yes
Airflow		50 m³/min / 1765 ft³ / min
Air speed		200 km/h / 124 mph
Noise Lw(A)		100 dB (A)
Adjustable blow direction		Lateral & frontal
Weight		38 kg / 83 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 012 010 230	BL 360	5.0 HP Honda GP160	9,975.00 DKK
MA 012 010 205	BL 360	5.5 HP Honda GX160	11,175.00 DKK
MA 012 010 802	BL 360 E-Power	4.5 HP battery 56V DC (3200 W)	13,200.00 DKK

ELIET BL 450 E




Ventury Jet™		Yes
Airflow		108 m³/min / 3813 ft³ / min
Air speed		260 km/h / 161 mph
Noise Lw(A)		106 dB (A)
Adjustable blow direction		Lateral & frontal
Weight		60 kg / 132 lbs

ART.	VERSION		alle priser er ekskl. Moms
MA 013 010 207	BL 450 E	9.0 HP Honda GX270	21,262.50 DKK



SCAN ME



VENTURY Jet^{effect}™
ELIET NV

VENTURY JET™
Because of the Ventury Jet™, the airflow is accelerated at the bottom of the blower nozzle, allowing wet sticky leaves to be blown loose with ease. Due to the negative pressure created, even loose leaves lying below the blower nozzle, i.e. just out of reach of the airflow, are still blown away.



BIG HANDS™ MULTIFUNCTIONAL GRIPPER

BIG HANDS™

With this ELIET gripper you can clear all your green waste in no time in an efficient and ergonomic way. The gripper has a light weight (2.1 kg) and is very easy to operate. This allows you to quickly clear large volumes of leaves, moss, grass,... without having to make physically heavy efforts.

- ▶ With the Big Hands™, you pick up all kinds of green waste (moss, leaves, hedge trimmings,...) from the ground without bending over, allowing you to work from an ergonomic position and eliminating back strain.
- ▶ The 34 cm wide gripping plates make the use of a shovel or dustpan unnecessary.
- ▶ The gripping plates can scrape along the ground while gripping, thereby fulfilling the function of a brush or rake.
- ▶ Large volumes can be clamped and picked up in one grip which is time-saving.
- ▶ The Big Hands™ are made entirely of aluminium and weigh only 2.1 kg so are not straining arm muscles in use.
- ▶ The Big Hands™ are robustly built for long life. Parts can be replaced individually.
- ▶ Rubber handles offer a comfortable hand feel.
- ▶ The Big Hands™ stores compactly.



More info?

www.eliet-bighands.eu





REGISTRATION

Contact your nearest ELIET dealer for more information.

WWW.ELIET.EU



ELIET AT YOUR SERVICE

At ELIET, we not only attach great importance to the development of our machines and related technologies. We want to support our customers as much as possible before and after they have purchased an ELIET machine. You can access all brochures, manuals and technical data sheets of the ELIET machines via our website www.eli.eu.

You can also find out which authorized ELIET dealer you can contact in your area for expert advice and professional maintenance of all ELIET machines. These official service centers also have the original ELIET parts.

ELIET. Always at your service.





ELIET STANDS FOR BELGIAN RELIABLE QUALITY AND DURABILITY.

Although you have no doubt about it, before purchasing a professional ELIET machine you would like confirmation that it is suitable for your application.

You can!

An enthusiastic ELIET demo team is on the road every day with an extensive fleet of machines. They will be happy to come to you without any obligation to prove to you in a practical test in your own working environment that the ELIET machine meets your requirements.

ASK FOR YOUR DEMO ON ELIET ON TOUR.



Shredder

ELIET PROF 6 E-POWER

E

Shreddable timber diameter.....	100 mm
Blades.....	24 x Resist™/8 units
Capacity (wheelbarrows/h)	4 m³
Engine	Elektro DC - 7,5 kW
Battery	Li-Ion 48V - 7,0 kW
In feed	Hydraulic feed roller / Ø 150 mm
Feed control.....	ABM™
Discharge system.....	Turbo Discharge™ / Ø 325 mm
Drive.....	Yes - hydraulic
Weight	On Wheels 405 kg / 892 lbs Cross Country 470 kg / 1036 lbs
Dimensions	1780 x 830 x 1520 mm 70" x 32" x 60"

ART.	VERSION		alle priser er ekskl. Moms
MA 032 010 821	Prof 6 E-Power On Wheels	7.0 kW - 48V Vanguard (Eco Eye™)	180,000.00 DKK
MA 032 020 821	Prof 6 E-Power Cross Country	7.0 kW - 48V Vanguard (Eco Eye™)	195,000.00 DKK
BE 222 001 480	Charger 1050 W		
BE 222 001 481	Charger 3000 W		
MA 032 040 000	PROF 6 PTO - ABM		
MA 032 001 002	Infeed Speed Controlvalve		
MA 029 001 004	Lifting hook (Prof 6/ Superprof)		
MA 029 001 006	Chip catcher (not PTO)		
BU 401 300 202	Set of spare blades RESIST/8 (24 units)		



ECO EYE™

The Prof 6 E-Power is equipped with ELIET Eco Eye™ technology. This system automatically switches off the electric motor when no one is loading the machine and the hopper has run empty. When the operator approaches the machine again, the system switches on automatically. This maximizes service life and autonomy.



Battery technology **ELIET®**


X VANGUARD™
COMMERCIAL POWER BRIDGES & STRATTON

3
YEAR
COMMERCIAL
LIMITED
WARRANTY

VANGUARD BATTERY POWER

VANGUARD BATTERY-POWER

Vanguard is known among landscape gardeners as a manufacturer of quality gas engines for professional and demanding applications. As a supplier of traction systems, Vanguard has also expanded its range to include battery solutions and is aiming for reference status on the market in this field too.



HEAVY DUTY DESIGN

Vanguard batteries are made from the best possible cells for energy density. A robust cast aluminum housing keeps the cells dry, dust-free and protects against deformation. Operational safety and efficient cooling are guaranteed by its cell design and arrangement, even under load. This makes the batteries ideal for use in gardening and landscaping.

INTELLIGENT SELF-MANAGEMENT

Vanguard batteries have an internal cell management system that controls the energy flow of the battery. Temperature monitoring and discharge capacity measurements are used to adjust the currents of the cell strings accordingly. This ensures optimal performance and maximum battery life.

With the optional quick charger, a discharged battery can be fully recharged within 4 hours.



Shredder

ELIET MAESTRO COUNTRY E-POWER

E

Shreddable timber diameter.....	45 mm
Chopping speed (Cuts/min.).....	ECO 36000 TURBO 43000
Capacity (wheelbarros/h)	14
Blades	12 RESIST™/6
Weight	61 kg / 134 lbs (without batteries)
Engine power	3200 W
Battery	Lithium-Ion
Battery power	56 V (DC)
Battery compartments	2

ART.	VERSION	alle priser er ekskl. Moms	
MA 001 053 801	Maestro Country E-Power	4.5 HP battery 56V DC (3200 W)	14,242.50 DKK
MA 001 052 001	Multi purpose grating for wet green waste (option)		
MA 001 001 051	Li-ion battery (option) 56V - 5Ah		
MA 001 001 052	Li-ion battery (option) 56V - 10Ah		
MA 001 001 050	Charger for Li-ion battery (option)		
BU 401 100 102	Set of spare blades RESIST™/6 (12 units)		



2 MODES

ECO-MODE

In ECO mode, shredded material is produced that is very suitable as a mulch layer in the garden. This has bigger chips. The lower shredding speed in ECO mode ensures greater autonomy with lower power consumption.



TURBO-MODE

In TURBO mode, shredding is carried out at full speed to obtain chips that compost the fastest because they are particularly fine.



CHOPPING PRINCIPLE™

The strength of the ELIET Maestro lies in its unique, patented shredding technology. With the ELIET Chopping Principle™, the blades split the wood in the direction of the grain like an axe. The shredded material is reduced to small chips through a cycle of splitting and shredding.



Blower

ELIET BL360 E-POWER


E

Ventury Jet™	Yes
Airflow	50 m³ / min. 164 ft³ / min
Air speed	200 km / h 124 mph
Noise Lw (A)	100 dB (A)
Adjustable blow nozzle	Yes
Weight	38 kg / 83 lbs
Wheels	Pneumatic Tire Ø 300 mm / 4.00-4 12" / 4.00-4
Engine power	3200 W
Battery	Lithium-Ion
Battery power	56 V (DC)
Battery compartments	2

ART.	VERSION		alle priser er ekskl. Moms
MA 012 010 802	BL 360 E-Power	4.5 HP Li-ion 56V DC (3200 W)	13,200.00 DKK
MA 001 001 051	Li-ion battery (option) 56V - 5Ah		
MA 001 001 052	Li-ion battery (option) 56V - 10Ah		
MA 001 001 050	Charger for Li-ion battery (option) (CH5500E)		

OPTIMAL COMFORT

The BL360 E-Power combines the best of two worlds. Firstly, the machine has a large turbine, which enables it to generate a large air flow at lower speeds (i.e. less noise). This is necessary to move large quantities of leaves. At the same time, the machine is compact, handy and maneuverable, but has its mass on the ground. It is easy to move on large pneumatic tires. The specially shaped discharge nozzle is adjustable and can direct the air flow either forwards or to the side. The nozzle sits close to the ground, and thanks to the Ventury Jet™ effect, even sticky leaves can be easily blown away.



Edge Cutter

ELIET KS300PRO E-POWER

E

Blade speed	2550 t/min
Blade.....	Ø 300 mm - 12" (50SICR7)
Blade spindle.....	double bearing Ø 40
Angle adjuster	0° - 25° - 45°
Cutting depth adjuster.....	5 positions max. 110 mm / 4"
Weight.....	37 kg / 81 lbs
Height adjustable handle.....	7 Positions
Engine power	3200 W
Battery	Lithium-Ion
Battery power.....	56 V (DC)
Battery compartments.....	2

ART.	VERSION		alle priser er ekskl. Moms
MA 010 020 802	KS 300 PRO E-Power	4.5 HP 56V (3200 W)	12,562.50 DKK
MA 010 001 003	Double front wheels KS 300 PRO / HD		
MA 010 001 003	8 teeth cutting disk KS 300 PRO (Mn-steel) (Ø 300 mm - 12")		
BU 103 200 200	Spare blade (Ø 300 mm)		
MA 001 001 051	Li-ion battery (option) 56V - 5Ah		
MA 001 001 052	Li-ion battery (option) 56V - 10Ah		
MA 001 001 050	Charger for Li-ion battery (option) (CH5500E)		



BLADE DIAMETER 300 MM

The KS300PRO E-Power has a blade with a diameter of 300 mm - 12". This is the largest blade for side walk edgers of this type on the market. It allows you to achieve a greater cutting depth and a higher cutting speed. For professionals, ELIET also recommends the optional 8-tooth blade.



ANGLE ADJUSTMENT

Self-Propelled (ZR) Scarifier / Dethatchers

ELIET E450ZR E-POWER

E

Operating width.....	450 mm / 18"
Blades.....	Double-Cut™ Knives (54 pcs.)
Drive.....	rubber roller Ø 150 mm / 6"
Driving speed.....	2,5 km/h / 1,5 mph
Weight.....	85 kg / 187 lbs
Dimensions.....	1230 x 630 x 1050 mm / 48" x 24" x 41"
Permanently Sharp Blades™.....	Yes, min. 100 hours
Engine power.....	3200 W
Battery.....	Lithium-Ion
Battery power.....	56 V (DC)
Battery compartments.....	2

ART.	VERSION		alle priser er ekskl. Moms
MA 037 010 802	E450ZR E-Power	4.5 HP battery 56V DC (3200 W)	22,275.00 DKK
MA 017 001 001	Easy clean (option)		
BU 402 100 454	Set of spare E450ZR Double-Cut blades (54 units)		
MA 001 001 051	Li-ion battery (option) 56V - 5Ah		
MA 001 001 052	Li-ion battery (option) 56V - 10Ah		
MA 001 001 050	Charger for Li-ion battery (option) (CH5500E)		

DRIVE

The ELIET E-ZR scarifiers are self-propelled. You can engage the traction drive using the control lever on the handlebar. The travel speed is set to 2.5 km/h. The constant speed guarantees an even scarifying result and a defined hourly output.



DOUBLE-CUT™-BLADES

The permanently sharp Double-Cut™ blades intensively remove thatch from the turf. The blades are mounted in pairs on an aluminum carrier on the blade axle. This allows the blades to be replaced very quickly and easily.



COUNTER-ROTATING BLADES

The blades of the E-ZR series rotate against the direction of travel. This allows the blades to remove all impurities from the lawn much more thoroughly. This ensures an unbeatable scarifying effect.

Scarifier / Dethatchers

ELIET E450 E-POWER


E

Operating width.....	450 mm / 18"
Double-Cut blades (number thickness).....	28 1,5 mm / 1/16"
Cutting depth adjuster.....	rear + front
Vertical belt tensioner™.....	Yes
Weight.....	51 kg / 112 lbs
Dimensions.....	1100 x 600 x 1050 mm / 43" x 23" x 41"
Permanently Sharp Blade™.....	Yes, min. 100 hours
Engine power.....	3200 W
Battery.....	Lithium-Ion
Battery power.....	56 V (DC)
Battery compartments.....	2

ART.	VERSION		alle priser er ekskl. Moms
MA 025 030 802	E450 E-Power	4.5 HP battery 56V DC (3200 W)	14,625.00 DKK
BU 402 300 203	Set of spare Double-Cut blades (28 units)		
MA 001 001 051	Li-ion battery (option) 56V - 5Ah		
MA 001 001 052	Li-ion battery (option) 56V - 10Ah		
MA 001 001 050	Charger for Li-ion battery (option) (CH5500E)		

VERTICAL BELT TENSIONER™

ELIET uses its proven vertical belt tensioner™ to switch on the blades. The motor is lifted when the blades are switched on, tensioning the drive belt without the need for an idler pulley. This minimizes wear and the risk of belt failure and makes the machine extremely reliable in operation.



PERMANENTLY SHARP BLADES™

The special processing of the blades ensures a self-sharpening effect. The blade tip remains sharp and the effectiveness of the gripping force does not decrease. The cutting efficiency therefore always remains constant.



Battery technology **ELIET**[®]



The integrated EGO drive system of the ELIET E-Power machines is a combination of a 3200 W brushless DC motor and a battery dock. Two EGO 56 V lithium-ion batteries are inserted into the battery dock. This makes it possible to connect a wide range of EGO batteries with different capacities from 2.5 Ah to 12 Ah can be connected. The customer can choose depending on the application.

POWERFUL ELECTRIC MOTOR

The EGO drive unit consists of a brushless DC motor with an output of 3200 W (or 4.3 HP). This has a very uniform power development over a wide speed range. The speed can be continuously adjusted between 1700 and 3600 rpm on the dashboard. The unit is equipped with an hour counter as standard. To guarantee optimal conditions, cooling takes place via an air filter.

EFFICIENT BATTERIES

The 56V EGO-Arc lithium battery has an intelligent energy management system. This constantly monitors and optimizes each individual cell to ensure the best possible power output. The innovative arc structure enables the cells to release their heat better into the environment. This protects the battery from overheating. In addition, each cell is surrounded by the innovative Keep Cool™ technology. This ensures that the cells maintain their optimal temperature, resulting in a longer service life and even better performance.

MULTI-PORT CHARGING CASE CHU6000

Charge up to six 56 V ARC lithium batteries simultaneously with your multi-port charging case. This can be done directly with the CHV1600E multi-port charging case from the Professional series.



1600W FAST CHARGER CHV1600E



**BA2800T
5 AH**



**BA5600T
10 AH**

ELIET®

Price List 2026 Denmark



MADE in BELGIUM



All rights reserved - Printed in Belgium.
Subject to change in the case of technical modifications or misprints.

ELIET Europe NV
Diesveldstraat 2
8553 Otegem, BELGIË
Tel. +32 (0) 56 77 70 88
Fax. +32 (0) 56 77 52 13
info@eliet.eu

ZTR ApS
Ndr. Borremosevej 16
9600 Aars, Denmark
Torben: +45 4213 4213
Anders: +45 4213 4212
info@ztr.dk - www.ztr.dk



© 2026 ELIET EUROPE nv

www.eliet.com